

# CIRCULATION

VOLUME XXII

JULY-DECEMBER, 1960

## AUTHOR INDEX

For Authors of Abstracts in Annual A.H.A. Scientific Sessions See Pages 848 to 855.

- Abarquez, R. F., 1060  
 Abell, L. L., 658  
 Abelmann, W. H., 671  
 Achor, R. W. P., 672  
 Ackerman, P. G., 652  
 Adams, C. W., 947  
 Adelardi, V., 635  
 Adhikari, P. K., 1107  
 Adlersberg, D., 681, 686  
 Agmon, J., 265  
 Alex, M., 655  
 Allalouf, D., 265  
 Allen, E. V., 160  
 Allison, R. B., 671  
 Alousi, K., 688  
 Altschul, R., 662  
 Amatuzio, D. S., 680  
 Anderson, D. L., 688  
 Andrus, E. C., 979  
 Anthony, W. L., 652  
 Archer, M., 685  
 Artom, C., 664  
 Avigan, J., 663
- Bacos, J. M., 887  
 Badger, G. F., 1133  
 Baker, D. G., 661  
 Baker, G. D., 652  
 Baker, S. P., 672, 673  
 Banerjee, K., 412  
 Barger, L. M., Jr., 949  
 Barrow, J. G., 673  
 Batra, K. V., 676  
 Beck, W., 938  
 Beher, W. T., 652  
 Bellet, S., 678, 682  
 Bello, C. T., 573  
 Bentz, J. D., 663  
 Bergen, S. S., Jr., 144  
 Berkowitz, D., 669, 674  
 Berkson, D. M., 658  
 Best, M. M., 660, 666  
 Beveridge, J. M. R., 674  
 Bing, R. J., 1  
 Blackburn, H. W., Jr., 598, 666, 1112  
 Blankenhorn, D. H., 671, 674  
 Blaustein, A. U., 675  
 Bleiler, R., 670  
 Block, J. B., 913  
 Bloodwell, R. D., 1125  
 Blumenthal, H. T., 655  
 Blumgart, H. L., 301  
 Bogdonoff, M. D., 667  
 Booth, J., 677  
 Bossina, K. K., 908  
 Bourne, G. H., 665  
 Bradess, V. A., 239, 672  
 Bradley, M. N., 949  
 Brandenburg, R. O., 49  
 Braunwald, E., 216, 927, 1125  
 Bristow, J. D., 896
- Brown, B. W., 1137  
 Brown, K. D., 654  
 Brown, T. E., 689  
 Brozek, J., 666, 682, 1112  
 Bucher, R. M., 573  
 Burchell, H. B., 938  
 Burrows, B. A., 913  
 Butterworth, J. S., 448  
 Buzina, R., 682
- Caldwell, C. T., 675  
 Caldwell, J. R., 652  
 Campagnoli, M., 675  
 Carey, J. B., Jr., 661  
 Carlson, G., 677  
 Castagnino, J. M., 675  
 Castillo, C. A., 559  
 Castleman, B., 365  
 Cavell, G. C., 184  
 Celoria, G. C., 1055  
 Century, D. F., 658  
 Chapman, C. B., 4  
 Cherkasky, M., 160  
 Chevalier, R. B., 1149  
 Chobanian, A. V., 676, 682  
 Clark, L. C., Jr., 949  
 Clarkson, T. B., 664  
 Cohen, L., 676  
 Cohen, W. D., 659  
 Collins, W. S., 676  
 Conklin, J., 661  
 Connell, W. F., 674  
 Connor, W. E., 670  
 Constantinides, P., 677  
 Cooper, E. E., 677  
 Corday, E., 677  
 Courmand, A., 204, 220  
 Croll, M. N., 669  
 Cropp, G. J., 25  
 Crout, J. R., 516  
 Crompton, C. W., 559  
 Czoniczer, G., 39
- Davis, F. W., 160, 163  
 Davis, H. L., 677  
 Davis, N. L., 677  
 Dawber, T. R., 160, 164  
 Dayton, S., 657  
 de Caneda, R. L., 675  
 del Vecchio, A., 682  
 de Maine, M. M., 686  
 Dick, E. C., 680  
 Dickstein, E. R., 678, 682  
 Dobkin, G. B., 676  
 Dostas, A. S., 682  
 Dotter, C. T., 1144  
 Dotter, P., 1144  
 Downie, H. G., 653  
 Dubin, A., 672, 673  
 Duncan, C. H., 660, 666  
 Dury, A., 660  
 DuShane, J. W., 49, 110, 526, 1083  
 Dustan, H. P., 181
- Eagan, J. T., 887  
 Edelman, J., 678  
 Eder, H. A., 652, 679  
 Edmands, R. E., 673  
 Edwards, J. E., 110, 672, 1083  
 Ehrenhaft, J. L., 280  
 Eichna, L. W., 864  
 Eisenberg, P., 598  
 Eisinger, R. P., 935  
 Ellis, L. B., 671  
 Engel, A. F., 684  
 Engelberg, H., 232, 650, 668  
 Erb, B. D., 315  
 Estes, E. H., 667  
 Evans, J. R., 1044
- Feigelson, E. B., 663  
 Feinberg, L. J., 678, 682  
 Fekete, L. L., 664  
 Fidanza, F., 682, 1091  
 Field, H., Jr., 547  
 Finkelstein, L. J., 679  
 Fisch, C., 1149  
 Fish, R. G., 976  
 Fisher, J. M., 280  
 Fishman, A. P., 204, 216, 220  
 Fletcher, A. P., 619  
 Floch, M. H., 935  
 Ford, A. B., 1166  
 Frantz, I. D., Jr., 661  
 Frazier, L. E., 667  
 Freedberg, A. S., 464  
 Freiman, A. H., 1060  
 Freis, E. D., 191  
 Friedell, G. H., 1055  
 Fritts, H. W., Jr., 204, 216, 220  
 Furman, R. H., 659
- Gaman, E. M., 679, 687  
 Geer, J. C., 655  
 Gilon, E., 679  
 Goldberg, L. I., 1125  
 Goldenberg, S., 655  
 Gonzales, I. E., 655  
 Goodale, F., Jr., 365  
 Goodloe, M. H. R., 673  
 Gore, I., 1137  
 Grande, F., 680  
 Greenberg, S. M., 680  
 Griffith, G. C., 1156  
 Griswold, H. E., 896  
 Gross, R. E., 254, 405, 1041
- Haft, D. E., 652  
 Hahn, J. W., 680  
 Haley, M. I., 247  
 Hamilton, J. G., 684  
 Hanfling, S. M., 474  
 Hanson, J. S., 583, 1107  
 Harman, D., 151, 681  
 Harris, P., 216
- Harrison, E. G., Jr., 419  
 Harvey, W. P., 346  
 Hashimoto, S., 657  
 Haust, M. D., 656  
 Heinemann, H. O., 154  
 Helles, H. K., 1  
 Hellerstein, H. K., 1166  
 Herndon, J. F., 680  
 Hersch, C., 1069  
 Hickam, J. B., 243  
 Higano, N., 659  
 Higginbotham, A. C., 670, 681  
 Higginbotham, F. H., 670, 681  
 Hine, G. J., 913  
 Hines, E. A., Jr., 419  
 Hirschhorn, K., 662, 667  
 Ho, P. P., 681  
 Hodges, R. E., 670  
 Hoffman, F. G., 437  
 Hoffman, J. I. E., 385, 405  
 Hoffman, M. S., 90  
 Hollander, W., 676, 682  
 Holman, R. L., 1137  
 Holmes, W. L., 663  
 Horwitz, O., 901  
 Howard, R. P., 659  
 Hughes, R. H., 667  
 Huston, J. H., 559
- Ikkos, D., 583  
 Irving, D. W., 677
- Jaffe, H., 677  
 January, L. E., 280  
 Jhaveri, S., 39  
 Johnson, F., 683  
 Jolliffe, N., 685  
 Jones, R. J., 676  
 Jose, A. D., 130  
 Joyner, C. R., Jr., 901
- Kaminer, B., 289  
 Kaplan, B. M., 658  
 Kass, I., 90  
 Kassebaum, D. G., 896  
 Katchalsky, A., 265  
 Katz, L. N., 160, 658, 683  
 Kaufman, B., 1133  
 Keith, J. D., 1044  
 Keith, R. A., 247  
 Kelley, R. R., 365  
 Kellogg, F., 653  
 Kendall, F. E., 654  
 Kersbaum, A., 682  
 Keys, A., 501, 666, 682, 1091  
 Kheim, T., 652  
 King, E. Q., 664  
 Kinsell, L. W., 661  
 Kirk, J. E., 654  
 Kirklin, J. W., 49, 526, 938  
 Klein, E., 664  
 Klein, R. F., 667

- Kokubu, T., 685  
 Kositchek, R. J., 670  
 Kountz, W. B., 652  
 Kuo, P. T., 661  
 Kummerow, F. A., 650  
 Kurland, G. S., 464  
 Kuzma, O., 683  
  
 LaDue, J. S., 1060  
 Lauer, R. M., 110, 526  
 Lazzarini, A. A., Jr., 656, 683  
 Lee, T. C., 651  
 Lehoczyk, J. M., 683  
 Lepeschkin, E., 986  
 Lev, M., 198  
 Lever, W. F., 664  
 Lewis, L. A., 658  
 Lieberman, J., 653  
 Lieberman, J., 956  
 Liebow, I. M., 1133  
 Likoff, W., 674  
 Lin, T. H., 680  
 Linenthal, A. J., 341  
 Liptak, D., 191  
 Little, A., 671  
 Lofland, H. B., 664  
 Logue, B., 1151  
 Long, J. B., 563  
 Lord, J. W., Jr., 683  
 Loudon, M. L., 665  
 Lutz, W. P. W., 289  
 Lyons, C., 949  
  
 Magee, J. H., 184  
 Manfredi, F., 602  
 Manning, G. W., 25  
 Marcus, M., 660  
 Markowitz, A. S., 672, 673  
 Marmorston, J., 683  
 Martins de Oliveira, J., 635  
 Massell, B. F., 39  
 Maxwell, G. M., 559  
 McArthur, K. T., 949  
 McCandless, E. L., 683  
 McCluer, R. H., 651  
 McCormick, E. C., 651  
 McGaff, C. J., 130  
 McGill, H. C., Jr., 655, 688  
 McGoon, D. C., 1083  
 McKusick, V. A., 857  
 McMillan, G. C., 1137  
 Meissner, G. F., 669  
 Meja, M., 598  
 Meyer, B. J., 14  
 Michaels, G. D., 661  
 Miller, B. F., 689  
 Miller, D. B., 1107  
 Miller, O. N., 684  
 Millikan, C. H., 1002  
 Mills, D., 668  
 Milnor, W. R., 130  
 Misra, S. N., 412  
 Mitchell, J. H., 4  
  
 Miyamoto, T., 90  
 Moering, C. C., 669  
 Mook, G. A., 908  
 Moore, F. J., 683  
 More, R. H., 656  
 Morrow, A. G., 927, 1125  
 Morrow, P. S., 656  
 Mosbach, E. H., 658  
 Murphy, E. A., 653, 654  
 Mustard, J. F., 653, 654  
  
 Nadas, A. S., 254, 385, 405, 956, 1041  
 Naeye, R. L., 376  
 Nakagawa, K., 126  
 Nast, P. R., 138  
 Neill, C. A., 591  
 Neufeld, H. N., 1083  
 Nikitin, V. P., 308  
 Nishida, T., 650  
 Nothman, M. M., 668  
 Nova, P. L., 226  
  
 Odell, J. E., 216  
 Ohler, E. A., 573  
 Olson, R. E., 453  
 Ongley, P. A., 526  
 Orgain, E. S., 887  
 Oriente, P., 665, 685  
 Ocasohn, R. R., 1133  
  
 Page, I. H., 181, 658, 685  
 Papacostas, C. A., 573  
 Parsons, W. B., Jr., 663  
 Pass, B. J., 947  
 Paterson, J. C., 1137  
 Paul, M. H., 198, 385  
 Pennypacker, C. S., 138  
 Pepler, W. J., 14  
 Perloff, J. K., 346  
 Peterson, J. E., 247  
 Pick, A., 658  
 Pick, R., 658, 683  
 Pilgeram, L. O., 651, 668  
 Pinter, K. G., 684  
 Pollak, O. J., 656, 684, 685, 1137  
 Polter, D., 4  
 Prigge, W. F., 651  
 Proger, S., 668  
 Puchner, T. C., 598, 666  
  
 Quinlan, C. B., 673  
  
 Ramirez, G., 686  
 Randall, T. W., 1069  
 Rapaport, E., 563  
 Rasmussen, R. C., 667  
 Regan, T. J., 1  
 Reichel, F., 1060  
 Reider, R. B., 39  
 Reppert, E. H., Jr., 448  
 Ribeiro, F., 598  
 Richardson, D. W., 184  
  
 Richman, H. G., 563  
 Rinzier, S. H., 685  
 Roberts, J. C., Jr., 657, 1137  
 Robinson, G. A., 653, 654  
 Robinson, R. W., 659  
 Rodriguez, F. L., 671  
 Roe, R. D., 671  
 Roheim, P. S., 652, 679  
 Rosenblat, M., 675  
 Ross, J., Jr., 927  
 Rossi, P., 682  
 Roth, G. M., 161, 419  
 Rowe, G. G., 559  
 Rowe, R. D., 1044  
 Rowsell, H. C., 653  
 Rudolph, A. M., 254, 385, 405, 1041  
  
 Sabiston, D. C., Jr., 591  
 Sacks, M. I., 96  
 Said, S. I., 226  
 Saltzman, H. A., 602  
 Sandberg, H., 678  
 Sandler, M., 665  
 Sanghvi, L. M., 412  
 Sasahara, A. A., 254  
 Savitzki, N. N., 308  
 Seanu, A., 665, 685  
 Schaefer, L. E., 681, 686  
 Schools, P. E., Jr., 547  
 Schram, A. C., 668  
 Schrire, V., 55, 73  
 Schroeder, H. A., 686  
 Scott, J. C., 679  
 Scott, R. F., 686, 688  
 Scott, S. M., 976  
 Seegers, W., 662, 667  
 Seidell, M. A., 664  
 Sellers, E. H., 661  
 Sevy, R. W., 573  
 Shanoff, H. M., 671  
 Shapiro, W., 226  
 Shaw, D. M., 667  
 Sherber, D. A., 660  
 Sherry, S., 619  
 Shimamoto, T., 657, 687  
 Sieker, H. O., 243, 602  
 Siekert, R. G., 1002  
 Simms, H. S., 687  
 Simonson, E., 126, 598, 1179  
 Singer, M. M., 935  
 Sjoerdsma, A., 516  
 Sklarin, B. S., 662, 667  
 Sklaroff, D. M., 669, 674  
 Smart, T. A., 662  
 Smith, D. H., 679, 687  
 Sommers, S. C., 1055  
 Spain, D. M., 239, 672  
 Spitzer, J. J., 669, 674, 679  
 Spoto, A. P., 602  
 Sprague, H. B., 627, 662  
 Sproule, B. J., 4  
  
 Stamler, J., 658  
 Staple, E., 661  
 Starr, A., 896  
 Steinberg, A. G., 686  
 Steinberg, D., 663  
 Straus, R., 670  
 Strong, J. P., 655, 688  
 Sugiura, T., 191  
 Sundeen, M. J., 665  
 Surtshin, A., 664  
 Swan, H. J. C., 938  
 Swedlund, H. A., 672  
 Swell, L., 547  
 Szajewski, J. M., 685  
 Szanto, P. B., 673  
  
 Tabakin, B. S., 1107  
 Tabatznik, B., 1069  
 Takaro, T., 976  
 Taussig, H. B., 591  
 Taylor, H. L., 666, 1112  
 Tennent, D. M., 688  
 Theilen, E. O., 280  
 Thomas, W. A., 686, 688  
 Toor, M., 265  
 Toro, G., 652  
 Tranchesi, J., 635  
 Treadwell, C. R., 547  
 Trocchi, A., 688  
 Tsuchiyama, H., 650  
 Tullis, I. F., 315  
 Tuna, N., 665  
  
 Ventch, W., 1144  
 Vogelpeol, L., 55, 73  
  
 Wada, S., 680  
 Wagenvoort, C. A., 535  
 Wagner, J. A., 138  
 Walker, G., 661  
 Weidman, W. H., 49  
 Werthessen, N. T., 680  
 Wexler, B. C., 689  
 Whereat, A. F., 661  
 Whisnant, J. P., 1002  
 White, A., 652  
 White, P. D., 296  
 Whitner, V. S., 673  
 Wilcox, A. A., 247  
 Williams, B., 4  
 Williams, P. G., 901  
 Winer, B. M., 1074  
 Wishart, D., 1144  
 Wissler, R. W., 667, 1137  
 Wittenborg, M. H., 254  
 Wright, I. S., 608  
 Wurm, M., 670  
 Wyso, E. M., 184  
  
 Zanetti, M. E., 688  
 Zijlstra, W. G., 908  
 Zoll, P. M., 301, 341  
 Zucker, G., 935  
 Zugibe, F. T., 654

# CIRCULATION

## SUBJECT INDEX

VOLUME XXII

JULY-DECEMBER 1960

### A

#### Abdominal conditions

- and anticoagulant therapy, 735
- aorta, 684, 1147
- arteriosclerotic lesions, 1137-1141
- dissecting aneurysm, 317, 319

#### Acetazolamide, in hydropenia, 1192

#### Acetylcholine, 1193

- and blood pressure, 718, 755, 798
- myocardial effects, 1033, 1034, 1181, 1182

#### Acidosis, 1192

- diabetic, 721-722, 1154
- respiratory, 783-784
- and surgery, 720, 725, 734

#### ACTH. *See* Adrenocorticotrophic hormone

#### Adams-Stokes disease, 529-531, 782, 793-794, 797

- pacemaker, long-term, 341-345

#### Adenosine triphosphatase, aortic activity, 665

#### Adrenal gland, 722

- and cholesterol metabolism, 469, 470, 550, 553-557
- pheochromocytoma, 517
- steroids, for pericardial effusion, 146, 148
- and stress, 470

#### Adrenalin. *See* Epinephrine

#### Adrenergic blockade, by dichloro-analogs, 1034

#### Adrenocorticotrophic hormone, 470, 865, 868

- for iproniazid side effects, 1163
- in rheumatic heart disease, 507-509, 514

#### Age. *See also* Pediatrics

- and angina pectoris, 984
- aortic dissections, 315-316
- and atherosclerosis, 99-101, 267, 824, 984, 1133
- and atrial fibrillation, 561
- and blood pressure, 103-105, 430, 858, 1026
- after monoamine oxidase inhibitors, 1163
- racial differences, 290, 768, 1028
- cardiac enlargement in anemia, 413-414
- and cholesterol levels, 467, 484, 495, 685
- and congenital heart disease, 749
- and coronary arteries, 22, 103-105, 126-129, 726
- heart disease, 98-99, 165, 302, 495, 717, 743, 984, 1100, 1133
- electrocardiogram, 126-129, 281, 812, 1045
- and Master's test, 987
- and membrane elasticity, 1032
- and mitral regurgitation, 41, 46
- and plasma fibrinogen levels, 668
- and serum lipid levels, 686, 805
- and smoking, 165, 1119-1120
- sympathomimetic amine sensitivity, 1126
- and triolein tolerance curves, 678, 743

#### Ajmaline, anti-arrhythmic activity, 1034

#### Alcohol, 232-238, 751

- and angina, 1152
- and anticoagulant therapy, 617

#### Aldosteronism, 733, 755

- and Adams-Stokes attacks, 793-794

#### Alkalosis, renal acetylcholine response, 1192

#### American Heart Association

- Arteriosclerosis Council
- meeting program, and abstracts of papers, 650-689

report, 1137-1141

Assembly Meeting, 334-335, 648

Association's supplement research support, 335, 497, 648, 1037

#### awards

- Gold Heart Awards, 1037
- grants-in-aid listed, 172-178
- Jones Award, 649
- Lasker Award, 1037

Brown Memorial Lecture, 864-886

Cardiology Contest announced, 1037

#### committees

- Ad Hoc, on smoking and cardiovascular disease, 160-166

Professional Education exhibit on auscultation, 841

on Strain and Trauma, 631-632

Coronary Heart Disease Symposium, 296-307,

448-473, 608-617, 1151-1178

#### films

- on congestive failure, 497
- Directory of Cardiovascular films, 335
- identification card for anticoagulants, 616
- meetings calendar, 336, 498, 649, 1038, 1197
- Myocardial Infarction Symposium, 1037
- Officers elected, 1196-1197

#### publications

booklet on "Dietary Aspects of Cardiovascular Diseases," 498

Congestive Heart Failure Symposium, 336

Scientific Sessions, 496

abstracts of papers, 714-836

industrial exhibits, 842-847

scientific exhibits, 837-841

Work Classification Clinics, 1168

#### Amines. *See also* specific amines

- oxidase inhibitor effects, 687, 758, 805-806, 1159-1161

#### Aminophylline, and exercise tests, 989

#### $\beta$ -Aminopropionitrile, and aneurysm, 317

#### Amotriphene, in arrhythmia, 1033

#### Amphenone, and renal function, 1028

#### Amyl nitrite, 1185

- in patent ductus, 228, 230
- in valvular regurgitation, 820

#### Anastomosis

- aorta and coronary arteries, 302
- intercoronary, 14-24, 299, 671-672, 815
- vena cava-right pulmonary, 755

#### Androgens, in atherosclerosis, 468-469, 659

#### Anemia, 1154

- cardiac enlargement, 412-418, 826
- cerebrovascular insufficiency, 1005
- circulatory congestion, 494, 865-867, 872
- Cooley's, 826
- and coronary anastomosis, 20
- and digitalis, 826, 872
- and heart failure in infancy, 787
- and mammary souffle in pregnancy, 1070
- and myxedema, 1153
- sickle-cell crisis, 602-607

#### Aneurysm, 321

- brachiocephalic arteries, 819
- cerebral, 35-36, 330, 1009

**Aneurysm (Cont'd)**

- dissecting of aorta, 315-325
- rupture, special clip technique, 330
- Valsalva sinus, 787, 788, 794, 898-899
- ventricular, after infarction, 450

**Angina pectoris, 1151-1155**

- and amine activity, 806, 1157-1159
- anticoagulant therapy, 612, 617
- in aortic stenosis, 758
- and benzofuran derivative (L. 2329), 493
- and blood pressure, 309, 753, 801, 981, 1152
- after carbon monoxide poisoning, 737
- and coronary disease, 305, 717, 757, 466-467, 1169-1170
- decubitus, 980, 1155
- and glyceryl trinitrate, 815
- and heart failure, 727
- and iproniazid, 1032, 1157-1161
- and ischemia, 301-307, 714
- and myocardial infarction, 301-307, 451, 717, 1169-1170
- and nicotine, 164, 798
- and procaine, 1180
- tests, 980, 982, 986-1001, 1154

**Angiocardiogram**

- absent left pulmonary artery, 1109
- of aorta, 321, 717, 745, 933
- Fallot's tetralogy, 397
- Marfan's syndrome, 794
- pericardial effusion, 145
- right atrial myxoma, 730
- septal defect, spontaneous closure, 1048
- transposition of vessels, 730, 745, 746
- in tumor thrombosis, 480
- Uhl's anomaly, 752, 753
- and ventricular wall thickness, 814

**Angiography**

- in arteriosclerosis obliterans, 329
- carotid, intracranial hemorrhage, 27
- coronary, 1193-1194
- in myxoma of left atrium, 760

**Angiotensin, pressure effects, 718, 740, 766****Anomalies. See Congenital anomalies****Ambenonium, cholinergic effects, 1163****Anoxia. See Oxygen****Antibiotics, and prothrombin time, 613, 617****Anticoagulants. See Coagulation****Antihistamine, and arrhythmia, 1035****Aorta**

- abdominal, 684, 1133-1141, 1147
- adenosine triphosphatase, and diet, 665
- aneurysm, 284, 287, 794
  - dissecting, 315-325
- and arterial embolism, 810
- ascending, 684, 776, 794, 835
- atherosclerosis, 96-109, 484, 756, 1031, 1133-1141
  - and multiple emboli, 329, 331
  - plaques, vascularization, 762
  - tocopherol, 651, 786
- atresia, and heart failure, 787
- cells, 675, 685, 762
- cholesterol, 327, 552-553, 675, 684, 726
- coarctation, 281, 317, 796, 815, 834
- coronary anastomotic connection, 302
- dilatation after aortotomy, 284, 287
- insufficiency, 131, 288, 717, 741, 757, 787
  - and tricuspid stenosis, 347-348, 353-355
- and left ventricular obstruction, 111-125
- pressures, in Fallot's tetralogy, 398, 402
- pulse wave velocity, 126-129
- thoracic, 684, 756-757, 1133-1136

transposition, 745, 746

wall metaplasia after carrageenan, 683

**Aortic valve, 715**

- bacterial endocarditis, 834
- calcific disease, 365-375
- catheterization, 727, 771
- endocardial hypertrophy, 201-203
- prosthesis, 738, 781
- pulse pressure curves, 823
- regurgitation, 167, 368, 727
- rheumatic disease, 367
- stenosis. *See* Stenosis, aortic
- transposition into right ventricle, 745

**Aortography**

- aneurysm of aorta, 321, 794
- aorticocardiac fistulas, 715
- in aortic stenosis, 834
- in cerebrovascular insufficiency, 729
- in congenital heart disease, 715, 756
- in Marfan's syndrome, 794
- gravity effects on contrast media, 1144-1148

**Apresoline, 713, 1153****Arfonad, 828**

- and circulatory congestion, 752, 871-876

**Arrhythmias. See also Heart rate**

- and amotriphene, 1033
- and angina, 714, 981, 1151, 1152
- and antihistamines, 1035
- after atrial fibrillation, 331
- in atrioventricular block, 585-589
- and calcium chelation, 1033
- and cerebral embolism, 1008
- after coronary occlusion, 304
- electrocardiogram, 42, 714, 761, 774
- hypertonic solutions, 798
- after hypothermia, 724, 798
- and metastatic cancer, 479
- and myocardial infarction, 767
- persistent, and myxedema, 1152
- and tobacco allergy, 164
- vasomotor response, 766

**Arterenol, 824**

- and blockade by dichloro analogs, 1034

**Arterial conditions. See also specific arteries; specific conditions**

- and dissecting aneurysm of aorta, 319
- embolism after surgery, 810
- and valvulotomy, 10-12

**Arteriography**

- carotid technic, 818
- in cerebrovascular insufficiency, 729, 1009-1010
- coronary, 815, 1193
- and position, 818-819, 1144-1148
- vertebral, 818

**Arteriosclerosis**

- and adrenocorticotrophic hormone, 831
- American Society for Study of
  - abstracts of papers, 650-689
  - report, 1137-1141
- arteriography, 819
- and glomerulonephritis, 748
- in Raynaud's disease, 1055-1059
- and sympathectomy, 743
- and work prescription, 736

**Arteriosclerosis obliterans, 730, 817****Arteriovenous fistula, and circulatory congestion, 756, 787, 791, 865****Aspirin, in rheumatic disease, 507-509, 514****Asthma, 733**

- electrocardiogram in children, 90-95

**Atherosclerosis**

- and adrenocorticotrophic hormone, 831
- advanced human type in rabbit, 677
- aortic. *See* Aorta, atherosclerosis
- and athletes, 484, 1174
- in Bantu, 98, 467
- in Cape Town, autopsy survey, 96-109
- in cerebrovascular insufficiency, 729
- and strokes, 1005-1006
- in chickens, 683-684, 688
- and cholesterol. *See* Cholesterol
- coronary. *See* Coronary artery
- and dibazole, 309
- dietary factors, 265, 277, 453-462, 548-554, 655, 665, 686, 824, 1151

*See also* Diet

- electron microscopy, 655-656
- and fibrinolysis, 653, 668, 779, 796
- anticoagulant therapy, 612-613, 619
- and glyceryl trinitrate, 815
- and gonadal hormones, 468-659, 681-682
- and heart failure, 881
- and hypertension, 102, 1030, 1181
- immunization, 672-673
- and infarction, 104-107, 450, 632, 668, 671, 792, 800
- in Israel, 265-279
- lipids in. *See* Lipids
- and methylthiouracil, 1181
- myocardial, 301, 689, 831
- and myxedema, 464-466
- and nephrectomy, 831
- oxygen breathing effects, 243-245
- and phagocytosis, 681, 760
- in pigeons, 664
- and tocopherol, 152-153, 651, 786
- after triton, 685-686
- vascularization of plaques, 670, 762
- and water hardness, 686

**Atrioventricular**

- block. *See* Heart block
- clefts, 957
- and ostium secundum defects, 958-975
- conduction, 635, 749, 775, 782
- node, 741
- in Wolff-Parkinson-White syndrome, 777, 784
- persistent common, 112, 117-118, 792
- valve dissociation, 806
- and ventricular septal defect, 792, 898-899

**Atrium, 46**

- and atropine after acetylcholine, 1034
- and blood volume, 131, 867, 1187
- conduction, in tachycardia, 772
- contraction, 826
- and fourth heart sound, 737
- dilatation, 643, 1024
- electrokymogram, 1022
- fibrillation, 42, 728
- left, 131, 728, 1024
- cor triatriatum, 755
- in mitral regurgitation, 42, 43, 46
- outflow blockage, 9
- in transseptal route technic, 927-934
- in ventricular septal defect with patent ductus, 256, 259-261
- myxomas, 730, 759
- and operative embolism, 821
- oxygen saturation, 259-261, 910-912
- parasytostole, intermittent, 1149-1150
- pressure. *See* Blood pressure, atrial
- in pulmonic stenosis, 386
- rates, and exercise in atrioventricular block, 584-589
- repolarization, 635-644

- septal defect, 281, 730, 749, 908-912, 1020
- and dyspnea, 718-719
- endocardial cushion defects, 956-975
- familial incidence, 717, 768
- metaraminol after repair, 1129
- ostium secundum, 491, 957-975
- pediatric age for operations, 1042
- repair, and pulmonary vascular resistance, 935-946
- sinus venosus, 911
- sympathomimetic amine effects, 1127
- in tricuspid stenosis and atresia, 200-203
- vector analysis, 956-975
- thrombus, 1021, 1024
- in Wolff-Parkinson-White syndrome, 715, 777, 784

**Atropine, 533, 889-891, 1078**

- and ganglionic stimulants, 1033, 1034

**Auscultatory findings**

- atrial septal defect, 491
- blood pressure after work, 1113-1122
- direct-writing phonocardiograms, 746
- in Fallot's tetralogy, 73-89
- in hyperthyroidism, 799
- left atrial myxoma, 759
- in myocardial infarction, 448-452
- in pulmonary stenosis, 55-72
- stethoscope efficiency, 759
- in tricuspid stenosis, 351, 352, 359
- in ventricular septal defect, 255

**B****Ballistocardiogram**

- angina, 982-983
- in coronary disease, 982-983
- smoking effects, 164
- ventricular, and stroke volume, 1185-1186

**Baltimore, Maryland, cardiomyopathies, 821****Bantu**

- atherosclerosis, 98, 467
- coronary anastomoses, 16-19, 22

**Barbiturates, in hypertension, 308-309****Blood. *See also* Plasma; Serum**

- catecholamines after norepinephrine, 744
- gas exchange, after carbon dioxide, 221-223
- lactate levels, 720, 1173
- and lymphatic regeneration, 738
- nonprotein nitrogen, in aneurysm, 320
- oxyhemoglobin saturation in hypoxia, 207-208, 218, 222
- pH, 11 952
- in endotoxin shock, 830
- in open-heart surgery, 168
- in sickle-cell disease, 603
- and venoarterial perfusion, 831
- pyruvate levels, 1173
- trichloroacetic acid, and triolein, 743
- urea nitrogen, and guanethidine, 188
- viscosity, and fat emulsions, 809

**Blood flow**

- after atrial septal defect closure, 940-945
- and bretylium tosylate, 735
- central, and abdominal muscle, 835
- cerebral, 766, 1186
- isoxsuprine hydrochloride, 793
- collateral, 302, 1151
- absent left pulmonary artery, 1109
- coronary atherosclerosis, 241, 1174
- to lung, and continuous murmur, 787
- myocardial, 494
- for pulmonary embolism, 744



**Blood Flow (Cont'd)**

- congestion and congestive heart failure, 864-886
- coronary, 1-3, 305, 559-562, 722, 774, 1189
  - anomalous left coronary artery, 591-597
  - and contrast media, 646
  - after coronary perfusion, 731
  - and physical training, 1173-1175
  - and sympathomimetic amines, 824
- in lipemia, 903-907
- and liver cirrhosis, 154-157
- mesenteric arteries, 766
- in Milroy's disease, 834
- myocardial, 494, 761-762, 798
  - and amyloid, 301
- and nicotine, 722, 798, 1112-1124
- norepinephrine after chlorothiazide, 748
- peripheral, and clubbing, 156
- in pregnant dogs and sheep, 718
- pulmonary, 82, 221, 1041-1042
  - and compliance, 130-137
  - in Fallot's tetralogy, 75, 87, 387-389, 395-401
  - in hypoxia, and exercise, 204-210
  - and intermittent murmur, 227
  - in pulmonic stenosis, 387, 390, 391, 399-401
  - and tilting, 790
- re-establishment after stroke, 1009-1010
- renal, 766
  - and guanethidine, 186-189
- responses to arrhythmias, 766
- splanchnic, 713
- in tricuspid stenosis, 198
- velocity, and acceleration, 751
  - and dibazole, 310
  - and pressure pulse, 1187
- venoarterial pumping system, 332
- in ventricular septal defect with patent ductus, 259-261

**Blood pressure**

- and angina pectoris, 801, 802, 981, 1152, 1153
- after angiotensin, 740, 766
- aortic, 368, 406, 741
  - and coronary perfusion, 731
- arterial, 208, 210, 289-295, 1026
  - bilateral indirect and direct, 419-435
  - in hypoxia, 205-206
  - and myocardial blood flow, 762
  - sodium response reflex, 775
  - vena cava congestion effects, 876-877
- atrial, 737, 742, 766
  - in aortic insufficiency, 741
  - and circulatory congestion, 872-875
  - after commissurotomy, 564, 568-571
  - after contraction, 728
  - and coronary resistance, 731
  - in idiopathic cardiomyopathy, 751
  - oxygen intake test, 5
  - in pulmonic stenosis, 378, 392-393, 405
  - and septal defects, 259, 405, 940-945
  - and trimethidinium, 743
- in Bushmen of Kalahari Desert, 289-295
- in Cape Town, 102-104
- capillary, 259-261, 347-348, 353-355, 748, 755, 1152
- central venous, 713
  - and emotions, 492
- in Chicago groups, 817
- in Chinese, in Taiwan, 1028
- and chlorothiazide, 194
- circulatory congestion, 866
  - and Arfonad, 872-875
  - and heart failure, 866-867
- and cirrhosis of liver, 155-157
- coronary, 304, 305, 731, 1173
  - and Dammann-Muller procedure, 787
  - diastolic, 761, 807, 858
  - and guanethidine, 185
  - and intermittent murmur, 229
  - in dissecting aneurysm of aorta, 316
  - in endotoxin shock, 830
  - in Europeans, 267
  - and exercise, 204, 208-210, 213, 224, 576, 603, 1188
  - in extrathoracic systemic veins, 361
  - in Fallot's tetralogy, 82, 387, 401
  - and tricuspid valve anomaly, 1084, 1086-1089
  - and fourth heart sound, 737
  - and ganglionic blockade, 311, 829
  - and glossopharyngeal nerve section, 737
  - after hexamethonium, and amphenone, 1028
  - and hydralazine, 194
  - and hydrochlorothiazide, 194, 833
  - hypertension. *See* Hypertension
  - and hypertonic solutions, 798
  - hypotension. *See* Hypotension
  - after hypothermia, 724
  - intrapleural, 224
  - intrathoracic, 361, 794
  - intravascular volume as determinant, 741
  - and iproniazide, 1032
  - in left ventricular obstruction, 113, 114, 124
  - and metaraminol, 830
  - and monoamine oxidase inhibitors, 1159-1160
  - and myocardial sodium and potassium content, 1026
  - in Nassau, Bahamas, 768
  - and nitroglycerin, 833
  - and norepinephrine, 328, 763, 828
  - and occupation, 666, 682-683, 822, 1026
  - in patent ductus, 227, 259-261
  - and phentolamine, 830
  - polygenetic hypothesis, 860-862
  - portal venous, and diuretics, 1032
  - and prednisolone, 830
  - and protoveratrine, 737-738, 1075-1080
  - pulmonary, 52-53, 224, 527, 567, 818
    - and acetylcholine, 755, 798
    - artery, 134, 755, 802, 872-875, 1021, 1152
      - in atrial septal defects, 749
      - in idiopathic cardiomyopathy, 751
      - and Graham Steell murmur, 781
      - oxygen intake test, 5
    - capillary, and tricuspid stenosis, 347-348, 353-355
    - and carbon dioxide breathing, 223
    - after ganglionectomy, 211-214
    - in hypoxia, 205-206, 218
    - and left ventricular diastolic overload, 717, 775
    - and medial thickness, 535-546
    - in mitral stenosis, 328, 560, 766
    - venous, in persistent left superior vena cava, 761
    - wedge, 387, 751
  - and renal artery stenosis, 740
  - in rheumatic mitral regurgitation, 792
  - in right atrial myxoma, 730
  - and right or left-handedness, 430
  - smoking effects, 164, 1113-1122
  - and sympathomimetic amines, 824, 1126-1131
  - thiazide diuretic, 755
  - and third heart sound, 737
  - after thoracotomy, 1187
  - and tilting, 742, 790
  - transseptal catheterization, 930-934
  - transvalvular difference, 167
  - in tricuspid stenosis, 198
  - vena caval, 763, 877
  - ventricular, 5, 63, 67-68, 82, 167, 227, 737, 761, 775, 872-875-930
    - in Fallot's tetralogy, 387-389, 395-401
    - and pulmonic stenosis, 405-411, 807

- systolic, 834  
and premature beats, 387  
in Yemenites, 267
- Blood vessels.** *See also* Arteries; Capillaries; Veins  
in cerebrovascular insufficiency, 729  
spasm, and atherosclerosis, 1005  
after cervical rib, 331  
contrast media, 746  
specific gravity effects, 1144-1148  
coronary, 560-562, 758  
branching patterns, 299  
in diabetes, 655  
elastic membranes, and age, 1032  
and monoamine oxidase inhibitors, 1160  
portal, 157  
resistance, 130, 156  
after atrial septal defect repair, 938-946  
and cardiac output, 308-315, 831  
and dibazole, 310-311  
forearm, after chlorothiazide, 748  
in mitral stenosis, 560-562, 766  
and norepinephrine, 744  
in pregnant dogs and sheep, 718  
pulmonary, 560-562, 565, 770  
and carotid stimulation, 1186, 1187  
and compliance, 134-135, 732-733  
after ductus division, 262  
kinetocardiogram, 1021  
patent ductus, 227, 259-261  
in pulmonary stenosis, 721  
in septal defects, 49, 259-261, 770, 938-946  
renal, and exercise response, 576, 577  
and serotonin, 758  
splanchnic, 713  
smoking effects, 161, 163  
vasoconstriction, 163, 867  
in pulmonary hypertension, 535-546  
vasodilation, 1151  
after Arfonad, 752, 871-876  
and carbon dioxide, in surgery, 790  
after isoxsuprine, 793  
in lipemia, 904-906  
after norepinephrine, 764  
walls, ion transport across large, 804
- Blood volume**  
and angina, 1151  
and circulatory congestion, 752, 864, 871  
and heart failure, 867  
and hypoxia, 204, 216-219  
in mitral stenosis, 7, 10  
intravascular baroreceptors, 751  
and muscle, cardiac and skeleton, 303  
pulmonary, 130-137, 204  
and infundibular contraction, 82, 83  
in rheumatic valvular disease, 133  
and vasomotor tone, 742  
temperature changes in evaluation, 756
- Book Review**  
Acute Pericarditis (*Spodick*), 1011  
Arterial Embolism in Limbs (*Jacobs*), 1012  
Biosynthesis of Terpenes and Sterols (*Edited by Wolstenholme and O'Connor*), 1012  
Cardiac Auscultation (*Butterworth et al.*), 1011  
Chirurgie der Arterien (*Kremer*), 1021  
Cinefluorography (*Edited by Ramsey et al.*), 1016  
Diseases of Chest, Including the Heart (*Edited by Myers*), 1016  
Diseases of Medical Progress (*Moser*), 1014  
Fortsschritte der Kardiologie (*Edited by Hegglin and Lüthy*), 1013  
On the History of Medicine (*Sigerist*), 1015
- Introduzione alla Elettrocardiografia Vettoriale (*Pozzi*), 1012  
Metal Binding in Medicine (*Edited by Seven and Johnson*), 1014  
Plasma Proteins. Clinical Significance (*Weil*), 1011  
Semeiologia Fonocardiografica (*Gigli and Muiesan*), 1017  
Your Heart: A Handbook for Laymen (*Marvin*), 1011
- Brain.** *See also* Cerebrovascular conditions  
cerebellar artery occlusion, 1007  
damage after anoxia, 1190  
lateral medullary syndrome, 1007
- Breathing.** *See* Respiration
- Bretylum.** antihypertensive effects, 181-183, 191-197, 735
- Bromsulphalein.** *See* Sulfobromophthalein
- Brown Memorial Lecture,** 864-886
- C**
- Calcification,** 821  
of aorta, 367, 369  
in arteriosclerosis criterion, 1133-1136  
coronary arterial, 671, 725
- Calcium,** deficiency, after ethylenediamine tetraacetate, 773
- Cancer**  
liver, antifibrinolytic activity, 487-488  
metastatic to heart, 474-482  
prostatic, and serum lipids, 669, 788  
and thrombophlebitis, 780
- Cape Town,** atherosclerosis, 102-107
- Capillaries,** 1031  
and edema, 825  
lower extremities, 331  
and norepinephrine, 748, 763  
pressure, 347-348, 353-355, 748, 1152  
pulmonary, 210, 259-261, 1152  
in tricuspid stenosis, 347-348, 353-355  
in ventricular septal defect with patent ductus, 259-261
- Carbohydrates**  
and plasma  $\beta$ -lipoproteins, 456  
somatic, and myocardial contractility, 826  
and stress, 817  
tolerance, and dietary lipids, 675-676
- Carbon dioxide**  
accumulation, and pain, 301  
inhalation response, 220-225  
and smoking, 1113-1122  
intracardiac, 1025  
and chest surface potentials, 764-765  
production, 718  
and absent left pulmonary artery, 1108-1109  
and respiratory exchange, 208  
and respiratory acidosis, 783-784  
tension, 831  
in cardiopulmonary bypass, 731  
in hypertension, and dibazole, 312  
in mitral stenosis and valvulotomy, 11  
in obesity, and exercise, 220, 718  
and pulmonary emphysema, 220
- Cardiopulmonary bypass.** *See* Extracorporeal circulation
- Cardiorespiratory conditions.** *See* Respiration
- Cardiovascular system**  
amine oxidase inhibitor effects, 758, 805-806, 1159-1161

**Cardiovascular system (Cont'd)**

- hypertensive disease. *See* Hypertension
- maternal hypoxia and fetal anomalies, 720
- of newborn, 1187
- and pulmonary vascularity, 1192-1193
- smoking effects. *See* Nicotine
- specific gravity effects on contrast media, 1144-1148
- in thalassemia major, 826
- transcranial stimulation responses, 1189
- and water hardness, 686
- after whole body irradiation, 1189

**Carotid arteries**

- autogenous replacements, 767
- blood flow, 332, 729, 766, 818, 1186
- and cerebrovascular disease, 332, 729, 1002-1010
- and intracranial hemorrhage, 34-35
- manual compression, 1036

**Carotid sinus**

- massage, and murmur, 228
- stimulation effects, 751, 852, 1186, 1187, 1190

**Carrageenan, and aortic wall metaplasia, 683****Catecholamines**

- and cardiac output, 1130
- and heart innervation, 1033
- and norepinephrine infusion, 744
- in pheochromocytoma localization, 516-525

**Catheterization, cardiac**

- anomalous pulmonary drainage, 761, 819
- in aortic stenosis, 167, 758, 777, 834
- apical of left ventricle, 782
- atrial puncture, 727
- in atrial septal defects, 959-964
- in atrioventricular block, 588, 589
- after commissurotomy, 568
- coronary sinus, 774, 778, 827
- in corrected transposition, 746, 806
- direct-reflection oximetry, 908-912
- ejection time, 801
  - and indocyanine green, 752
  - radiopaque, 749
- Fallot's tetralogy with tricuspid valve anomaly, 1084-1089
- great vessels, from right ventricle, 113
- in idiopathic cardiomyopathy, 751
- left heart, 131, 777
  - and right combined, 771
- in left ventricular obstruction, 124
- in Marfan's syndrome, 794
- mitral stenosis, 327, 559, 739
- in nodal rhythm, 891
- patent ductus arteriosus, 227, 254, 256
- pressure recordings with, 749, 1023
  - pulmonary, 168, 761, 1041-1042
- in pulmonic stenosis, 398, 405, 407, 826
- renal venous, for fatty acid uptake, 750
- in right atrial myxoma, 730
- right heart, 758
  - stylet for interatrial passage, 749
- right ventricular volume estimation, 752
- in shunt detection, 647, 752, 1041-1042
  - aortic electrode, 949-955
- transbronchial, 131, 757
  - double-needle technic, 976-978
- transseptal route, 927-934
- tricuspid stenosis, 198-203
- Uhl's anomaly, 752
- in unilateral renal disease, 916
- valvular regurgitation, 749, 766
- vena cava, 522, 876
- ventricular defects 113, 114, 254, 407, 745, 818, 1042, 1045

**Cells. *See also* Erythrocytes; Leukocytes**

- aortic, cholesterol uptake, 675, 726
- phagocytosis, 681, 760
- species differences, 685

**Cephalins, effects of plasma levels, 668, 792****Cerebrovascular conditions**

- accidents, 32, 329
  - in hypertensive disease, 26
- and caroticovertebral stenosis, 332
- circulation during arrhythmias, 766
- and embolic arterial occlusion, 1098
- hypoxia, in open-heart surgery, 168
- insufficiency, 729
  - and occlusive disease, 1002-1010
- intracranial hemorrhage, 36
  - and electrocardiogram, 25-38
- and monoamine oxidase inhibitor use, 1159
- pheochromocytoma, 332
- surgery, 729
  - special clip technique, 330

**Chloramphenicol, and prothrombin time, 613, 617****Chlorothiazide, 1152**

- analogs, diuretic action, 1035
- and blood flow after norepinephrine, 747
- blood pressure response, 194, 196, 741, 1029, 1030
- monoamine oxidase inhibitor potentiation, 1162, 1163
- in Stokes-Adams attacks, 797

**Chlortetracycline, and prothrombin time, 613, 617****Cholesterol levels**

- and adrenocorticotrophin, 469
- aortic, 547-558, 675, 684, 726
- and atherosclerosis, 326-327, 454, 464-471, 484, 656, 673, 683, 776, 824, 1188
- in Israel, 265-279
- and liver function, 232-242
  - and methylthiouracil, 1181
- and thyroid analogues, 660, 663-666, 680, 724, 736
- and cortisone, 469, 660
- cyclical re-utilization, 683, 776
- esters, 327, 551, 555-557
- estrogen effect, 467-468, 495, 552-553, 658, 675, 726
- fecal excretion and bile acids, 652
- and heparin, 668-669, 675, 726, 745
- hypercholesterolemia, 652-653, 723, 817
  - familial, 297, 327
  - and intestinal obstruction, 1181
  - and lipid values, 495, 668, 792
  - and thyroid analogues, 736
- metabolism, 547-558, 660
- monoamine oxidase inhibitor action, 809
- and nialamide, 657
- serum levels, 251, 267-268, 275, 454, 495, 548-554, 633, 635, 726, 745, 824
  - and body weight, 1091-1106
  - and reducing diets, 456, 685, 799
  - and coronary disease, 464-471, 1091-1106
  - dietary factors, 326-327, 457, 467, 469, 484, 670-680, 688, 773, 1188
  - corn oil, 806
  - egg yolk, 735
  - and fat tolerance, 723
  - and linolenic acid, 726, 806
  - margarines, 674
  - and oleic acid, 806
  - and thiouracil, 681
  - and epinephrine, 249-252
  - and heparin, 668-669
  - hourly variation in total, 247-253
  - and liver function, 232-238



- and methyltestosterone, 658-659
- and nicotinic acid, 662, 663, 726
- and occupation, 666, 682-683, 822
- and salicylates, 492
- and sitosterol, 326
- stress influence, 250-252
- vitamin E effects, 151-153
- synthesis, 327, 468, 676, 733, 736
- and triparanol, 468, 682, 736, 764
- turnover, 551-555, 557
- and xanthomatosis, 327, 652-653
- Cineangiocardiology**
  - in aortic stenosis, 758
  - in atrial myxomas, 730, 760
  - in basal diastolic murmur, 792
  - left heart, 768-769, 783
  - in left-to-right shunt, 1046-1047
  - in pulmonic stenosis, 398
  - in valvular regurgitation, 769, 792
- Cirrhosis**
  - in male Bantu, 467
  - nutritional, and cardiomyopathy, 751
  - and respiratory pattern, 154-157
  - and aorto-iliac thrombotic occlusion, 329
- Coagulation**
  - anticoagulant therapy, 678, 740, 786, 811
    - in angina pectoris, 612, 1154
    - complications, 487, 613, 735
    - long-term use, 486-487, 614-615, 773
    - in pulmonary embolism, 486, 743
  - in atherosclerosis, 612, 619, 653, 654, 779, 796
  - and convertin, 614, 740
  - and emotion, 786
  - fibrinogen-thrombin gel formation, 677
  - fibrinolysis. *See* Fibrinolysis
  - and heparin, 485, 488
  - and intermittent claudication, 488
  - and phenindione, 486-487
  - and polybrene, 1195
  - and protamine, 485, 1195
  - smoking effects on, 765
  - in sudden arterial occlusion, 817
  - tests, 485, 488-489, 613-614, 617, 740
  - and thromboembolism, 485-489
- Coarctation**
  - aorta, 758, 796
  - and heart failure in infancy, 787
  - in corrected transposition, 746
  - and occlusive disease, 738-739
  - and patent ductus arteriosus, 810, 834
  - and pulmonary stenosis, 768
- Cobalt chloride**, and hyperlipemia, 664-665
- Cold pressor test**, 576-578
  - and bretylium tosylate, 191, 195
  - and smoking, 164, 1113-1122
- Commissurotomy**, 1153
  - direct-vision, 740
  - mitral, 792, 802, 881
    - central circulatory changes, 563-572
    - closed, 805
    - and embolism, 771, 829
    - for hemoptysis control, 327
    - for lacerations, 744
    - restenosis, 739
    - and staphylococcal endocarditis, 1025
  - post-commissurotomy syndrome, 168
- Conduction**
  - and arrhythmias, 763
  - atrial, 772, 819, 1033
  - atrioventricular, 320, 647, 775
  - and tachycardia with block, 796
  - and calcium chelation, 1033
  - electrical activity, 770
    - direct records, 762-763
  - in familial cardiomyopathy, 721
  - in His bundle, 763
  - and hypothermia, 819
  - in peripheral Purkinje system, 763, 770
  - ventricular, 280-288, 761, 814, 1021
    - and heart block after repair, 896-900
  - in Wolff-Parkinson-White, 647, 715
- Congenital anomalies**
  - aortic, 756, 758, 776, 834
    - transposition, 745
  - atrioventricular, 583, 647
  - and bacterial endocarditis, 834
  - biventricular origin of pulmonary trunk, 112, 116
  - and blood coagulation, 813
  - and coronary blood flow, 301
  - corrective vena cava-pulmonary anastomosis, 755
  - cyanotic heart disease, 167-168, 642-643
  - differential diagnosis, 758, 777, 1192-1193
  - digital computer diagnosis, 829
  - familial tendency, 489, 768, 887-895
  - in fifth to eighth decades, 749
  - left coronary artery, 591-597
  - and left ventricular obstruction, 112-113, 117-118
  - and mammary souffle in pregnancy, 1070-1072
  - in Marfan's syndrome, 316, 321
  - and maternal hypoxia, 720
  - and myocardial blood supply, 301
  - partial transposition of pulmonary veins, 769
  - persistent foramen ovale, 489
  - persistent left superior vena cava, 489
  - pulmonary artery absence, 1107-1111
  - pulmonary valve, 792
  - and pulmonary hypertension, 535, 1041-1043
  - and pulmonary vascularity, 1192-1193
  - pulmonary venous drainage, 761, 819
  - tricuspid valve flap, 1083-1090
  - Uhl's anomaly, 752
  - ventricular septal defect, 112, 125
- Contrast media**
  - and coronary blood flow, 646
  - specific gravity effects on distribution, 1144-1148
- Convertin**, and coagulation, 614, 740
- Coronary artery conditions**
  - and aging, 126-129, 302
  - anatomic pattern, 14-26, 671, 717
    - in classification of hearts, 301-302
  - and anemia, 20-23, 305
  - and angina, 305, 617, 671-672, 717, 984, 1151
  - anticoagulant therapy, 608-617
  - atherosclerosis, 19-23, 96-109, 302, 453, 464-471, 646, 654, 661, 668, 727, 984, 1188
    - criterion, 1133-1136
    - and heparin, 745
    - immunization, 672-673
    - in Israeli immigrants, 274-275
    - and liver function, 232-242
    - and oophorectomy, 467
    - race differences, 688, 817-818
    - and sitosterol, 326
  - auscultation, 448-452
  - ballistocardiogram, 982-983
  - in Bantu, 14-24
  - blood flow, 1-3, 301, 722, 762, 1189
    - collateral, 304-306, 815
    - and mitral stenosis, 560
    - and radiopaque contrast media, 646
    - and sympathomimetic amines, 824
  - calcification, 671, 725
  - comprehensive care, 1166-1178

**Coronary artery conditions** (*Cont'd*)

- and emotional strain, 645
- and exercise, 714, 986-1001, 1171-1175
  - electrocardiograms, 1060-1068
  - lack, 646
- and heart failure, 727, 749
  - reflex constriction, 789
- heredity factors, 296-300, 645
- and hypercholesterolemia, 327, 464-471, 652-653, 736, 1091-1106
- insufficiency, 722, 1171-1175
  - and isosorbide dinitrate, 809
  - visceral reflexes, 1179-1184
- ischemic changes, 301, 714, 725
- in Italy, 1091-1106
- legal aspects of disease, 627-634
- in Minnesota, 1091-1106
- and monoamine oxidase inhibitors, 1158-1159
- and myocardial infarct, 265-279, 303-304, 671, 717
- in Navajo Indians, 670-671
- occlusions, 302-306, 326, 466, 632, 717, 820, 995, 1133-1136, 1151
  - direct surgical treatment, 672, 820
  - pericardial poultice, 816
  - and ventricular defibrillation, 492
- and occupation, 239-242, 645, 646, 666
- pulse wave velocity, 126-129, 801
- smoking effects, 160-166, 645, 722, 798
- symposium, 296-307, 448-473, 608-617, 1151-1178
- and thoracic aorta calcification, 1133-1136
- thrombolytic therapy for, 619-626
- triolein tolerance curves, 678
- Utah Plan, 1167
- vascular bed resistance, 560, 731
- venous drainage, 790
- Work Classification Clinics, 1168

**Coronary sinus**

- blood pH, and hypothermia, 714
- oxygen content, 1, 303, 560

**Cor pulmonale**, 486**Corrigan, Sir Dominic John**, 246**Cortisol**, 660

- for iproniazid side effects, 1163

**Cortisone**, 469, 660

- and blood pressure, 1026
- for iproniazid side effects, 1163
- in rheumatic heart disease, 507-509, 514

**Cor triatriatum**, 755**Coumarin**, 740

- in coronary heart disease, 609
- derivatives, vasodilating properties, 791
- and prothrombin complex, 613, 614

**Cryoprotein, fibrin-intermediates**, 808**Crytenamine**, and blood pressures, 428**Cyanocobalamin**, cardiac effects, 491**Cyanosis**, 746, 1024

- in Fallot's tetralogy, 79, 86, 1084-1089

**D****Dermatitis**, after warfarin sodium, 947-948**Desoxycorticosterone**, 469

- and blood pressure, 868, 1027

**Dexamethasone**, in rheumatic disease, 722**Dextrocardia**, 437-445, 746

- and mammary souffle in pregnancy, 1070

**Diabetes mellitus**, 721, 722

- and atherosclerosis, 743

- in Cape Town, 103-104

**exercise test**, 986**hyperlipidemia**, 232-238, 655, 675, 740, 813**hypertension**, and retinopathy, 244**and sympathectomy**, 743**triolein tolerance curves**, 678, 740, 743**vascular reactivity**, and oxygen, 243-245**Dibazole**, in hypertensive disease, 309-312**Dicumarol**. *See* Coumarin**Diet****and atherosclerosis**. *See* Atherosclerosis**calorie intake**, 266-267, 456, 773**in vegetarian and nonvegetarian monks**, 721**carbohydrates**, 456, 675, 817**cholesterol-free**, 327, 735**and cholesterol levels**. *See* Cholesterol**and coronary disease**. *See* Coronary disease**egg yolk**, 735**essential fatty acid free**, 327, 665**fat intake**, 454, 637, 660, 680, 723, 735, 833**butter**, 674**cocoa nut**, 327**corn oil**, 806, 1188**emulsion**, and blood viscosity, 809**and energy yield during exercise**, 326**and linoleic acid**, 806**margarines**, 674**milk fat**, 327**and oleic acid**, 806**and thyroid function**, 684**vegetable and animal**, 687, 720-721**in hypertensive therapy**, 312, 1031**rice**, 311, 1030**in Israel**, 266-267**Navajo Indians**, 670-671, 773**protein**, 457-458**animal**, 454-455, 459, 683**and serum lipids**, 454-456, 460, 670, 833**sodium intake**, 1031**thrombogenic**, 686-687, 806**ulcer**, and anticoagulant therapy, 609**Digitalis**, 1152**and atrioventricular tachycardia**, 741**cor triatriatum**, 755**and exercise tests**, 989**after heart arrest**, 1186**and heart block**, 832**in heart failure**, 807**and circulatory failure**, 869-872, 879**maintenance therapy**, 881**sensitivity of Purkinje fibers**, 770**and venous pulse curve**, 1022**in ventricular septal defect**, 1047**Dithiodiethoxyacetic acid**, in cholesterolemia, 466**Dilution curves**, 800**albumin space in edema**, 825**in anomalous pulmonary return**, 950-955**ascorbic acid**, 752, 952, 954**cardiac output**, 784, 787, 831**and pulsus alternans**, 823**after commissurotomy**, 568-569**electrodes**, 752, 949-955**in Fallot's tetralogy**, 1084**flow variation effects**, 1023**indocyanine green**, 186, 752**and tilting**, 790**in valvular disorders**, 9-10, 778, 800**Dimethyldithiodiethoxyformic acid**, and cholesterol levels, 666, 724**Diodrast**, radioiodinated, in renal disease, 913-925

- Diphosphopyridine nucleotidase**, 1191  
and myocardial contractility, 826
- Diuresis.** *See also* Water, excretion  
in cardiac edema, 491  
diuretic agents. *See* specific substances  
after heart failure recovery, 879-880  
hypotensive action, 181, 194, 832, 833, 1032  
after renal dialysis, 777  
water, negative pressure breathing, 1028
- Ductus arteriosus**, 730  
and angina pectoris, 802  
atypical, 756, 801  
bacterial endocarditis, 834  
and congenital heart disease, 112, 749, 769  
familial tendency, 768  
in infancy, 760, 787  
left ventricular diastolic overload, 717  
murmur, 226-231, 787, 1071-1072  
surgical correction, 810  
  age for, 1042  
  direct-vision aortic valvulotomy, 796  
and ventricular septal defect, 254-263, 281, 898-899
- Dysphagia**, 1006-1007
- Dyspnea**, 486  
in aortic stenosis, 758  
in atrial septal defect, 718  
cor triatriatum, 755  
and dissecting aneurysm of aorta, 319  
heart failure, 784, 786  
  and in venous congestion, 878-879  
in mitral stenosis, 765  
in premature babies, 332  
and respiratory mechanics, 718, 829-830  
  pulmonary compliance, 784  
in right atrial myxoma, 730  
in tricuspid stenosis, 347-349
- E**
- Edema**  
albumin space, 825  
cerebral, 26  
in heart failure, 866  
  and venous congestion, 878-879  
and hydrochlorothiazide, 491, 1031  
in Milroy's disease, 834  
in right atrial myxoma, 730  
postoperative, lymphatic resection, 738  
pulmonary, 788, 793  
  in tricuspid stenosis, 347-349  
retinal, and glomerulonephritis, 748
- Effort tolerance.** *See* Work
- Electrocardiography**  
abnormalities in normal heart, 25-38  
anatomic contradictions, 1023  
in angina pectoris, 981, 996-998, 1154
- Electrocardiogram**  
in aortic stenosis, 758, 776, 826, 834  
atherosclerosis, 632, 646, 1181  
atrial, 640, 752, 1024  
  fibrillation, 728, 764, 889-891, 1065-1066  
  intermittent parasytostole, 1149-1150  
  myxoma, 730  
  repolarization, 635-644  
  septal defects, 956-957, 1020  
  variability range of normal, 1022  
atrioventricular, 584, 647, 792  
bronchogenic carcinoma, 476-477  
in bundle-branch block, 29, 280-282, 285, 647, 734,  
  751, 899, 1021, 1045  
cerebral, 35-36, 330  
coronary, 126-129, 632, 646, 729, 985-987, 1173  
  air embolism, 283-286  
  and stress, 827, 981-982, 995  
after defibrillation, 140-141  
electroposition concept, 747  
in endocardial fibroelastosis, 440  
and exercise, 584, 714, 801, 827, 987-999, 1060-1068,  
  1170  
in Fallot's tetralogy, 406-407  
  with anomalous tricuspid valve, 1083-1086  
in fetal distress, 333  
in hypertension, 49-54, 801, 807, 1187  
in intracranial hemorrhage, 25-38  
ischemia, 714, 729, 981, 998  
in left-to-right shunts, 718  
and magnesium, 773  
mitral regurgitation, 42-47  
myocardial infarction, 283-284, 332, 646, 765, 991,  
  997-998  
myocarditis, 1182  
in newborn infants, 760  
in nodal rhythm, 891  
patent ductus arteriosus, 255, 717, 718, 760  
post mortem correlation, 716  
pulmonic stenosis, 406-407, 826  
pulse wave velocity, 126-129  
sinus rate, 714  
and smoking, 165  
tachycardia, 714, 981  
in transposition of great vessels, 730  
in tricuspid stenosis, 347-350, 355-356, 359, 362, 769  
after vagus stimulation, 36  
ventricular, 29, 42, 139, 281, 717, 752, 761, 762, 775,  
  802, 814, 834  
  obstruction, 119, 123  
  septal defect, 255, 718, 792  
    in children, 49-54, 1042, 1045, 1047  
  surface patterns in injury, 729  
after ventriculotomy, 280-288, 734, 897-900  
Uhl's anomaly, 752  
in Wolff-Parkinson-White syndrome, 784
- Electrolytes**, 733  
carcass content in heart failure, 715  
excretion  
  in hypertension, 311, 763  
  renal, in acidosis, 1192  
  and vena caval congestion, 877  
transport across large vessel walls, 804
- Embolism.** *See also* Thromboembolism  
air, after ventriculotomy, 283-284, 285  
and atherosclerosis, 329, 331, 1005  
and cerebrovascular insufficiency, 729, 1005, 1008-  
  1010  
and dissecting aneurysm, 319-320  
and hypertension, pulmonary and portal coexisting,  
  377, 381-383  
in idiopathic cardiomyopathy, 751  
pulmonary, 377, 381-383, 486, 743-744, 751, 780, 818,  
  1151
- Emotions**  
and angina pectoris, 1151, 1152  
and cardiac output, 1171  
in coronary heart disease, 305, 632, 645, 1168-1171
- Emphysema**  
and carbon dioxide breathing, 221-224  
exercise test, 992-993
- Endocarditis**, 1025  
and cerebral embolism, 1008  
fibroelastosis, 437-445  
  in tricuspid stenosis and atresia, 200-203  
and mitral regurgitation, 43, 46  
and restenosis, 739

**Environment**

- atherosclerosis, 96-109
- blood pressure, 267, 289-295, 768, 822, 1028
- and body weight, 291-294, 822, 1091-1106
- and cholesterol levels, 248, 455-456, 467, 817, 822, 1091-1106
- in coronary disease, 298, 753, 816, 1091-1106
- cryptogenic cardiomyopathies, 494, 821
- and glomerulonephritis, 804
- and heart disease, unusual form, 168
- in rheumatic fever, 804
- and serum lipids, 773

**Enzymes.** *See also* specific enzymes

- fibrinolysis, in diabetic acidosis, 721
- inhibitors for hypertension, 728, 806, 1159-1160
- lipolytic system, and alimentary lipemia, 236
- and nicotinic acid, 663

**Epinephrine and norepinephrine**

- in aortic regurgitation, 328
- and blood flow, 718, 744, 747-748, 762, 824
- and blood pressure, 741, 767, 828, 833
- cardiac response, 333, 744, 1188
- fatty acid response, 470, 667, 668, 773
- lipoprotein response, 470
- and myocardial contraction, 1034, 1125-1131
- and nicotine, 163
- in pheochromocytoma, 516-525
- and vasomotor activity, 742, 751, 828
- ventricular responses, 782, 824

**Ergonovine, flow-pressure effects, 718****Erythrocytes**

- erythropoiesis, radioiron technic, 733-734
- in heart failure, 733-734
- and circulatory volume, 867
- and serum cholesterol levels, 326

**Erythrol tetranitrate, pressor response, 833, 1151****Estrogen**

- and cholesterol levels, 467-468, 470, 495, 552-553, 658, 675, 726

**Europeans, atherosclerosis, in Israel, 265-279****Extracorporeal circulation**

- atrial defect closure, 168
- for hypercapnia, 784
- and lactate levels, 720
- in respiratory acidosis, 784
- in surgery, 120-122, 168, 410, 744, 792
- without mechanical oxygenator, 757

**Extremities**

- arteriosclerotic disease, 329-330, 743
- and cerebrovascular insufficiency, 729
- ulceration, 330, 331
- vasoconstriction and bretylium, 193
- venous thromboembolism, 488-489

**Eyes, 1006**

- in atherosclerosis, 243-245

**F****Fallot's tetralogy, 768**

- auscultatory findings, 73-89
- phonocardiographic findings, 73-89
- in pulmonic stenosis, 73-89, 385-403
- atypical, 405-411
- surgical correction, 72, 753, 812, 899, 1195
- and tricuspid valve flap, 1083-1089

**Familial tendencies**

- anemia, circulatory adaptations, 826
- atrial septal defect, 717, 768
- cardiomyopathy, 721
- congenital heart disease, 490, 716

- in coronary disease, 296-300, 490, 645
- hypercholesterolemia, 327, 652-653
- Milroy's disease, 834
- neuroectoderm disorders, 332
- nodal rhythm, 887-895
- paroxysmal atrial fibrillation, 887-895
- ventricular septal defect, 768
- xanthomatosis, 327, 652-653

**Fat. See Lipids**

- dietary. *See* Diets
- in atherosclerosis, 484-485, 720
- deficiency of essential, 327, 665
- as energy source, 326, 810
- and fat intake, 456-457, 665-667, 721, 883
- free, 326, 485, 679, 682, 750, 772
- lipid responses, 661, 667, 883
- myocardial uptake, 679, 809
- and nicotine, 682, 771
- after phenolamine, 679-680

**Fear. See Emotions****Fetus, 299**

- heart rate, and death in utero, 332-333
- venoarterial perfusion, 830

**Fever. See also Rheumatic fever**

- in sickle-cell disease, 605-607

**Fibrillation**

- atrial, 352, 355, 359, 561, 724, 728, 797, 811, 889-891, 1152
- and amotriphene, 1033
- atrioventricular node dissociation, 796
- after commissurotomy, 564
- in dissecting aneurysm of aorta, 320
- and embolism, 330, 1008
- in idiopathic cardiomyopathy, 751
- in influenza, 168
- in mitral regurgitation, 42
- in mitral stenosis, 561
- in nodal tachycardia, 741
- and norepinephrine, 1126
- paroxysmal, 887-895, 1065-1066
- persistence, 331
- in rheumatic disease, 821
- ventricular response, 764
- and hypothermia, 714, 724, 725
- and myocardial glycogen, 715
- in tricuspid stenosis, 350, 352, 355, 359
- ventricular, 138-143, 304, 725
- closed-chest resuscitation, 333
- defibrillation, 140-142, 492
- after potassium with glucose infusion, 774
- in ventriculotomy, 283-284, 285

**Fibrinogen**

- from cryoprecipitin, 808
- and thrombin gel formation, 677-678
- and arterial embolism, 330
- in atherosclerosis, 612, 619, 653, 668, 779, 796
- in cancer, 485, 487-488
- intrinsic deficiency, 779
- and nicotinic acid, 489, 795
- after respiratory acidosis, 722
- and serotonin, 825
- in thromboembolism, 485, 619-626

**Fibrosis, 831**

- endocardial, 1024
- elastosis, 437-445
- ventricular, in West Africa, 168

**Fistula, 806**

- aorticocardiic, 715-716
- arteriovenous, 756, 787, 865

**Fluid, 733, 764, 1192**

cerebrospinal, 26, 34  
 in strokes, 1006, 1008, 1009  
 pleural, dissecting aneurysm, 321

**9  $\alpha$ -Fluorohydrocortisone**, and pressure, 1027

**Flutter**, atrial  
 and amotriphene, 1033  
 and angina, 1152  
 after hypothermia, 724  
 and influenza, 168  
 after intracardiac surgery, 797

**Foods**. *See* Diet

## G

**Ganglionic blocking agents**. *See also* specific substances

in aneurysm, 321  
 in hypertension, 311, 829

**Gas exchange**. *See also* Carbon dioxide; Oxygen and carbon dioxide in emphysema, 221-222 and exercise, 207-208

**Gastrointestinal tract**

and bretylium absorption, 196  
 circulation in arrhythmias, 766  
 distention, and angina, 1151  
 hemorrhage, 330, 333  
 cardiac involvement, 494  
 nicotinic acid response, 722  
 reflex constriction and coronary insufficiency, 1180-1184

**Glomerulonephritis**

and adrenocorticotrophic hormone, 868  
 and arteriosclerosis, 748  
 and circulatory congestion, 865-867  
 geographic variation, 804

**Glossopharyngeal nerve section**, effects on circulation and respiration, 737

**Glucose**

and free fatty acids, 810  
 and hypothermia, 714  
 intraperitoneal, and pressure, 742  
 and potassium chloride infusion in hypopotassemia, 774  
 tolerance, 817  
 and nicotinic therapy, 723

**Glutamic oxalacetic transaminase**, in infarction, 320, 332, 645, 769

**Glycogen**

cardiac, and free fatty acids, 810  
 myocardial, and hypothermia, 714

**Grafts**. *See also* Prosthetics

in arteriosclerosis obliterans, 329  
 tracheal, caval segmental replacement, 812

**Graham Steell murmur**, 780, 802-803

**Gravity**, effects on contrast media distribution, 1144-1148

**Guanethidine**, 742

antihypertensive effects, 181-183, 196, 742, 748, 1029 and circulation, 184-190

## H

**Heart**

in anemia, 412-418, 826  
 cardiomegaly, 318, 722, 752  
 in cirrhosis of liver, 155-157  
 carditis, 168, 512, 722  
 in rheumatic heart disease, 739, 783  
 classification, 301  
 contraction, 799  
 and adenosine triphosphate, 754

and sympathomimetic amines, 1125-1131  
 dextrorotation, 437-445, 746, 1071  
 and dissecting aneurysm, 319-320  
 edema, hydrochlorothiazide, 491, 1031  
 electrocardiographic changes in open chest, 905

*See also* Electrocardiogram

fluoroscopy, and still photography with image intensifier, 781

hypertrophy, 412-418, 444, 727

and anastomosis, 21-23  
 in atrioventricular block, 584, 589  
 and Dammann-Muller procedure, 787  
 in dyspnoeic newborn, 332

and function evaluation, 1172  
 heart failure in infancy, 786  
 and left ventricular failure, 1152  
 in right atrial myxoma, 730  
 and ventricular defect, spontaneous closure, 1045  
*See also* Heart, cardiomegaly

hypothermia, 724, 750

and myocardial metabolism, 714-715

output, 734, 811, 826, 980

and acceleration, 751

aortic stenosis, 167

Arfonad effects, 872-875

and bretylium tosylate, 735

and carbon dioxide breathing, 222, 223

in circulatory congestion, 869, 871-879, 882

and clubbing, 156

after commissurotomy, 564, 567, 569

cor triatriatum, 755

and dibazole, 310-312

ear oximeter and dye-dilution, 787

electromagnetic flow-meter measurement, 763

and emotions, 492, 1171

in emphysema, 222

energy cost, 1173

and exercise. *See* Work and exercise

external counting technic, 757

in Fallot's tetralogy, and tricuspid valve flap, 1084

after guanethidine therapy, 186-187

in heart failure, 865-869, 871, 879, 882

hyperthyroidism, 739

in hypoxia, 205-207, 213, 218

after infarction, 1171-1172

isoxsuprine hydrochloride, 793

in mitral stenosis, 7-10, 766

and myocardial blood flow, 762

in nodal rhythm, 891

and norepinephrine, 744

pulmonary flow and volume relation, 131, 135-136

after reserpine, 739

respiratory quotient, 560

in right atrial myxoma, 730

and splanchnic blood volume, 713

and stroke volume, 763, 1188

and sympathomimetic amines, 1130

transseptal catheterization, 930

velocity-time contour, 751

and working capacity, 1188-1189

oxygen. *See* Oxygen

pain, 301, 306. *See also* Angina Pectoris

reactivation, 140-141, 333, 345

in rheumatic disease, 776, 783

situs inversus, 444, 746

and smoking. *See* Nicotine

survival rates, 725

and work prescriptions, 736

temperature, and conduction, 819

trimethidinium effects, 743

vaseular markings, 1045



**Heart beat**

- after commissurotomy, 564
- ectopic, 393, 395, 409, 724, 796
  - atrial parasystole, intermittent, 1149-1150
  - and intermittent atrial parasystole, 1150
  - and serpentine, 1034
- premature, 387-388, 395-397, 1186
  - and angina, 1152
  - and exercise test, 996
  - and myocardial disease, 815
- in pulmonic stenosis, 409
- and Fallot's tetralogy, 387-388, 395-397
- atrioventricular, 741, 781, 996
  - and digitalis, 1152
- bundle-branch, 282, 320, 892, 996, 1021, 1022
  - experimental, 831
  - in Marfan's syndrome, 728
  - in mitral regurgitation, 42
  - and overload patterns, 721
  - after ventriculotomy, 281, 734
  - and Wolff-Parkinson-White syndrome, 777
- bundle of His ligation, 832
- and cancer, x-ray therapy, 480-481
- in corrected transposition, 746
- and dexamethasone therapy, 722
- and exercise, 583-590, 996
- in left ventricular obstruction, 120-122
- and nodal tachycardia, 796
- and spontaneous delivery, 490
- steroid therapy, 797
- and third and fourth heart sounds, 737
- after ventricular septal defect repair, 526-534, 896-900

**Heart failure, 749**

- in anemia, 413-417
- and aortic resistance, 491
- and arteriosclerotic heart disease, 727
- and artificial kidney, 777
- and ascites, 715
- bronchogenic carcinoma, 476-477
- and carcass electrolyte concentration, 715
- and circulatory congestion, 864-886
- cor triatriatum, 755
- and Dammann-Muller procedure, 787
- in Ebstein's anomaly, 72
- and emotions, 492
- and exercise, 778
- and fibrinous thrombi, 1024
- high output, 865
- and hypothyroidism, 827
- idiopathic cardiomyopathy, 751
- in infancy, 786
- and lung compliance, 784, 793
- nitrous oxide turnover rate, 803
- normotensive, 874
- red cell volumes, 733
- and rheumatic heart disease, 511-514
- and serum cyanocobalamin levels, 491
- Uhl's anomaly, 752
- and venous pressure, 492, 761
- and ventricular defect, 1047, 1052

**Heart-lung machine. See Extracorporeal circulation****Heart rate**

- and ajmaline, 1034
- in angina pectoris, 981
- in aortic insufficiency, 741
- asthmatic children, 91-94
- and carbon dioxide breathing, 223
- after commissurotomy, 564
- after coronary disease, 1173
- and exercise, 208-209, 213, 718
- in familial nodal rhythm, 892

- fetal distress, 332-333
- hyperthyroidism, 739
- in hypoxia, 205
- after intracranial hemorrhage, 27
- in obesity, 718
- and pacemaker, 341-345, 532, 732
- and pulmonary vascular conditions, 131
- after reserpine, 739
- in shock, endotoxin, 830
- smoking effects, 164, 1120
- and sympathomimetic amines, 1126-1128
- and training, 987
- and trimethidinium, 743
- valvular heart disease, 800

**Heart sounds. See also Auscultation; Murmurs; Rhythm**

- in aortic stenosis, 757
- ductus arteriosus, 255, 801
- in Fallot's tetralogy, 74, 79, 82
- in familial cardiomyopathy, 721, 892
- fourth, 737
- in myocardial infarction, 448-452
- persistence of ejection clicks, 760
- in pulmonic stenosis, 407
- in pulmonary stenosis, 407
  - and ventricular septum intact, 55-72
- splitting of second, 64-66, 70, 760
- third, 737
- transient, 746
- in tricuspid stenosis, 351, 352, 359
- Uhl's anomaly, 752
- in ventricular septal defect, 255
  - and spontaneous closure, 1045-1054

**Hemodynamics**

- after adrenocorticotrophic hormone, 865
- in aortic insufficiency, 167, 366, 717, 741, 757
- after Arfonad, 872-875
- after atrial enlargement, 1024
- in atrial septal defects, 958-975
- in atrioventricular block, 584
- catheterizations for, 771, 930-934
- and cigarette smoking, 798
- circulatory congestion, 865-867, 882
- cor triatriatum, 755
- after digitalization, 807
- Fallot's tetralogy, 836
  - and tricuspid valve anomaly, 1083-1090
- heart failure, 789, 827, 866, 879-881
- in hypertension, 312, 575, 1188
- in hyperthyroidism, 799, 827
- after isoproterenol, 1190
- isoxsuprine hydrochloride, 793
- and left diastolic overload, 717, 775
- mitral stenosis, 559-562, 771
- negative pressure breathing, 794
- after oxygen-enriched mixtures, 823
- pulmonary, 563, 940-945, 1020, 1190
- in pulmonic stenosis, 490, 721, 1020
- renal, 877-878
  - iproniazide, 1032
- subaortic stenosis detection, 728
- tricuspid stenosis, 347-350, 353
- in ventricular septal defect, 490, 1087-1089
  - with patent ductus, 256-261
- Uhl's anomaly, 752

**Hemoglobin C disease, sickle cell, 602-607****Hemographs, aorto-iliac occlusion, 329****Hemorrhage**

- and anticoagulants, 487, 613
- cerebral, 1008-1009
- intracranial, 25-38

- and coronary blood flow, 301
- in dissecting aneurysm, 316, 319
- gastrointestinal, and infarction, 494-495
- hemodilution, 754
- in mitral stenosis, 327
- and myocardial blood supply, 301
- in open heart surgery, 725
- in tricuspid stenosis, 347-349
- Heparin**
  - and alimentary fat clearance, 236
  - and anticoagulant therapy, 617
  - in coronary heart disease, 608-609
  - effects on cholesterol, 668-669, 675, 726
  - intermittent, 745
    - in angina management, 1154
  - operative, 1195
    - in pulmonary embolism, 743
  - and oxygen tension, 902-907
  - and serum lipids, 666, 668-669, 745, 813
  - and thromboelastography, 488
- Heredity.** *See* Familial tendencies
- Hexamethonium**, 713
  - and blood pressure, 191, 311, 428, 748
- Histamine**, and gastric secretion tests, 333
- Hydralazine**, in hypertension, 181, 194, 428
- Hydrochlorothiazide**, 491, 1031
  - and bretylium, 194
  - in hypertension, 194, 1029
  - after norepinephrine, 833
- 5-Hydroxytryptophane**, 1161
- Hyoscine**, and atrial contraction, 1034
- Hypertension**
  - and angina pectoris, 753, 801-802, 1152-1153
  - and angiotensin, 767
  - in atherosclerosis, 102-104, 107, 1030, 1181
  - bilateral differences, 426-427
  - and bretylium, 181-183, 191-197, 735
  - and chlorothiazide, 194, 741, 1029, 1030
  - cold pressor test, 576-578
  - conservative treatment, 772, 814
  - and dexamethasone therapy, 722
  - and dibazole, 309-312
  - and dissecting aneurysm, 316-317, 321-322
  - enzyme inhibitors in treatment, 728, 805-806, 1159-1160
  - and exercise, 576-580, 1185-1188
  - and flumethiazide, 1030
  - genetics of essential, 857-862
  - and guanethidine, 181-182, 184-190, 742, 748, 1029
  - and heart failure, Arfonad effects, 872-875
  - and hydrochlorothiazide, 1029, 1031
    - and nitrates, 833
  - and hypertensin II, 788
  - intracerebral hemorrhage, 1008
  - and left ventricular hypertrophy, 814
  - malignant, 577-580, 764, 859, 1027
  - nephrosclerotic, 1031
  - and norepinephrine, 744
  - and oxygen breathing, 244-245, 312
  - paroxysmal atrial fibrillation, 1065
  - and pheochromocytoma, 333
  - and pituitary-adrenal system, 311
  - pressor substance release by kidney, 785
  - and protoveratrine, A and B, 1074-1081
  - pulmonary, 755, 802, 961, 1020, 1041-1043
    - and atrial septal defects, 972-973
      - after repair, 935-946
    - and coarctation of aorta, 796
  - Fallot's tetralogy, 387-389, 395-401
  - and glyceryl trinitrate, 815
  - kinetocardiograms, 1020
  - and medial hypertrophy, 535-546
  - and patent ductus, 262, 749, 801-802
  - and portal, coexisting, 376-381
  - and pulmonary stenosis, 387-389, 395-401, 807
  - and Raynaud's disease, 1055-1059
  - and transposition of aorta, 745
  - and tricuspid stenosis, coexisting, 348
  - and vascular resistance, 262, 938-946
  - ventricular defect, 281, 818, 898-899
  - in West Africa, 168
  - and rauwolfia, 311, 1030
  - renal, 808, 1029-1030
    - surgical treatment, 785-786, 791
  - rice diet, 311, 1030
  - sleep therapy, 308-309
  - and smoking response, 164
  - and sodium, 764, 775, 1031
  - stress, and renal responses, 573-580
  - treatment in Soviet Union, 309-314
  - trimethidinium methosulfate, 1025, 1027, 1028
  - and water hardness, 686
- Hypertensin II**, 788
- Hypotension**, 753
  - and atherosclerosis, 1005
  - hemorrhagic, and pressor amines, 761-762
  - after monoamine oxidase inhibitors, 1159-1160
  - orthostatic, 753
    - after bretylium, 182, 194, 735
    - after guanethidine, 182
    - after iproniazid, 1161, 1163
  - after protoveratrine, A and B, 1074-1081
  - and smoking, 1120-1121
  - and sympathomimetic amines, 1129-1131
- Hypothermia**, 661
  - and angina, 989
  - aorticopulmonary anastomosis, 812
  - in arrhythmias, 724
  - and atrial pressures, 750
  - and blood lactate levels, 720
  - and cardiac cycle events, 750
  - extracorporeal circulation, 757, 800
  - injection dynamics, 750
  - and myocardial metabolism, 714
  - in surgery, 168, 330, 725, 757
- Hypoxia.** *See* Oxygen

## I

- Iliac arteries**, thrombotic occlusion, 329
- Immunization**, in atherosclerosis, 672-673
- Indicator dilution curves.** *See* Dilution curves
- Infarction**, 1151, 1153
  - and atrial repolarization, 640-643
  - and monoamine oxidase inhibitors, 1160-1161
  - myocardial, 301-307, 448, 452, 1008, 1151
    - anticoagulant therapy, 616, 617, 773
    - after apical catheterization, 782
  - atherosclerosis, 104-107, 632, 668, 671, 800
  - and atrial arrhythmias, 767
  - cardiac rupture, 646
  - and cholesterol, 495, 557, 792, 1102
  - coronary disease, 466, 646, 717, 727, 780
  - and dibazole, 309
  - and electrocardiogram, 25-38, 283-286, 997
  - gastrointestinal disease, 1182-1184
  - glutamic transaminase, 320, 332, 645, 769
  - in Israeli immigrants, 274-275
  - and left ventricular hypertrophy, 716, 814
  - and nicotine, 798

**Infarction** (*Cont'd*)

- and subarachnoid hemorrhage, 26
- triolein tolerance curves, 678, 740
- unrecognized, 1169
- vectorecardiogram, 765, 832
- venoarterial pumping system, 332

**Influenza**, and heart-disease, 168**Insufficiency**

- aortic, 373, 782, 800, 803, 834, 1153, 1195
  - from prolapsed cusp, 816
  - in rheumatic heart disease, 783
  - and tricuspid stenosis, 354-356
- carotid, 811, 1002-1010
- coronary, 809, 981, 986-1001
  - and nicotine, 722
  - visceral reflex role, 1179-1184
- high-frequency phonocardiography, 782
- mitral, 782, 801, 815
- vertebral-basilar, 811, 1002-1010

**Iproniazid**, 1157-1161, 1163

- hypotensive action, 728, 1032

**Irradiation**, 480-481

- cardiovascular responses, 1189
- in pericardial effusion, 476, 480-481

**Ischemia**

- and angina, 301, 303, 714
- after exercise onset, 714, 1065-1066
- focal cerebral attacks, 729
- myocardial, 240, 301-307, 494, 780, 801, 816
  - intracranial hemorrhage, 25, 26, 30-38
- neerosis, 320, 640
  - and levarterenol-phenolamine, 935-937
- renal segmental atrophy, 1192
- ulcers, and amine activity, 806

**Isocarboxazid**, and monoamine oxidase, 1158, 1161**Isopterotenol**, 530, 532

- dichloro—analogs, 782, 1034

**Isoxsuprine hydrochloride**, 793**Israel**, atherosclerosis, 265-279**Italy**, Naples, coronary disease, 1091-1106**K****Kidney**, 1032

- artificial, in surgery, 777
- blood flow, 766
  - and guanethidine treatment, 186-189
- and cholesterol synthesis, 555-557
- fatty acid uptake, 750
- function, 868
  - and circulatory congestion, 871-879
- Diodrast diagnosis, 913-925
- infarction, 329
- pressor substance release, 785
- revascularization for stenosis, 791
- segmental ischemic atrophy, 1192
- vascular resistance, 766

**Kinetocardiogram**, 1020, 1021**Krypton**, and transseptal catheterization, 93**Kwashiorkor**, hypocholesterolemia, 458-459**L****L. 2329**, in anginal distress, 493**Lactate**, 750

- blood levels and heart function, 1173
- production and free fatty acids, 810

**Lactation**, and mammary souffle, 1069-1073**Lactic dehydrogenase**, in myocardial infarction, 332**Legal aspects of coronary disease**, 627-634, 797**Levarterenol**. *See* Epinephrine**Ligation**, in venous thromboembolism, 488-489, 743**Limbs**. *See* Extremities**Linoleic acid**, hypocholesteremic properties, 457, 675, 721, 726, 806**Lipids**

- in aortas, 552, 665
- atherosclerosis, 484, 669, 672, 678, 824
  - and sex hormones, 467, 658, 681, 688-689
- blood levels, 469-470, 664, 723, 792
  - in diabetes, 232-238, 675, 813
  - and triolein clearance, 740
- and exercise, 326, 484
- in Israel immigrants, 268-275
- and tissue oxygen tension, 902-909
- carcass content, and heart failure, 715
- chylomicron, 234, 326, 665
- in familial hypercholesterolemia, 327, 652-653
- and fat intake, 667, 806, 809, 833
- in fatty streaks, 655-656
- and heparin, 667, 669, 745, 812, 905
- hyperlipemia, 668, 792, 811-812
  - amino acid patterns, 684
  - and nicotinic acid, 662
  - and thyroid function, 666, 813
- metabolism, 265-279, 655, 669, 723, 773, 824
  - phenotypic factors, 265-279, 688
- and myocardial infarction, 668, 671, 792, 800
- plasma levels, 326, 668, 681, 792
  - in hypercholesterolemia, 668
- serum levels, 658, 669-673, 745, 788, 800, 824
  - and adrenal medulla, 470
  - and age, 686, 805
  - and cholesterol intake, 670, 726, 735
  - glyceride analysis, 674, 726, 812
  - and linoleic acid, 806
  - and liver function, 232-238
  - and oleic acid, 806
  - after oophorectomy, 495
  - and protein intake, vegetable, 458
    - nonvegetable, 721
  - and salicylates, 492
  - tolerance, 674, 723

**Lipoproteins**, 268-275, 454, 664, 760

- cholesterol fraction exchange, 652
- degradation and hematin compounds, 651
- after estrogen therapy, 467, 658
- and heparin, 236, 668-669, 745
- phosphatides, in arteriosclerosis, 651-652
- phospholipids, 268, 467, 495, 552-553, 664, 806
  - and desoxycorticosterone acetate, 469
  - and plasma cephalin values, 668, 792
- in plasma, and triton, 665
- serum, 454-456, 460, 469, 650-651, 659
  - and fatty acid changes, 760
  - in Italy and Minnesota, 1095-1096
  - and liver function, 232-238
  - after sulfolipogluin, 664, 772
  - surface properties, 760
  - after versenate, 664
  - vitamin E effects, 151-153

**Liver**, 234

- cancer, antifibrinolytic activity, 487-488
- cell damage, and cyanocobalamin, 491
- cholesterol, 232-238, 661-662, 736
  - esterified, 551, 552
- turnover time, 552, 554
- cirrhosis. *See* Cirrhosis
- hepatomegaly, 347-349, 787, 1047
- after monoamine oxidase inhibitors, 1163

**Lungs.** *See* Pulmonary conditions

**Lupus erythematosus**, and pericardial effusion, 144-150

**Lymphangiography**, 738

**Lymphatic vessels**, 738

in heart valves of dog, 789

hepatic, chylomiera content, 234

## M

**Magnesium**, and electrocardiogram, 773, 784-785

**Mammary souffle**, of pregnancy, 1069-1073

**Marfan's syndrome**, 727, 794

dissecting aneurysm, 316, 321

**Marsilid.** *See* Iproniazid

**Mecamylamine**, and atrial contraction, 1034

**Mephentermine**, myocardial contraction, 1129-1131

**MER-29.** *See* Triparanol

**Mercaptomerin**, and venous congestion, 877-878

**Mesenteric arteries**, 766

pheochromocytoma, 517

**Metaraminol**, 830

and myocardial contractile force, 1129-1131

**Methoxamine**

heart effects, 782, 1034, 1125-1131

for iproniazide side effects, 1163

**3-Methoxy, 4-hydroxy-mandelic acid.** *See*  
Vanillylmandelic acid

**a-Methyl-3, 4-dihydroxyphenylalanine**, anti-hypertensive action, 728

**Methyltestosterone**, hypocholesteremic effect, 658-659

**Methylthiouracil**, and atherosclerosis, 1181

**Milroy's disease**, 834

**Minnesota**, coronary disease, 1091-1106

**Mitral valve**, 1024

anomalous anterior leaflet attachment, 119-120

and cerebral embolism, 1008

commissurotomy. *See* Commissurotomy

endocardial hypertrophy, 201-203

insufficiency, 131, 328, 727, 738, 744

and heart disease in West Africa, 168

and tricuspid stenosis, 347-348, 353-355

lymphatic vessels in dog, 789

postoperative evaluation, 5, 565, 744, 770

prosthetic reconstruction, 738, 779, 781

regurgitation, 329, 727, 770

restenosis, 739

stenosis. *See* Stenosis

in tricuspid stenosis with pulmonary atresia, 203

ultra sound cardiography, 1021

**Monoamine oxidase inhibitors**, 687, 758, 806, 1156-1165

**Mucopolysaccharides**, 654-655

and adrenocorticotrophic hormone, 831

**Murmur.** *See also* Auscultation; Phonocardiography

and aorticocardiac fistulas, 715

and aortic regurgitation, 802, 820

in aortic stenosis, 757

apical diastolic, 319-320, 510-514

in arteriosclerotic heart disease, 450

in atrial myxoma, 730, 759

atrial septal defect, 489, 491

Austin Flint, 362, 820

cardiac, 24, 197

continuous, 787, 831

Gibson, 260, 262

cor triatriatum, 755

in Fallot's tetralogy, 74-87

Graham Steell, 780, 802, 803

in idiopathic cardiomyopathy, 751

in left ventricular obstruction, 111-124

mammary souffle, 1069-1073

and mitral disease, 42-44, 328, 739

after myocardial infarction, 449-451

in newborn infant, 760

partial transposition of pulmonary veins, 769

patent ductus, 226-231, 255, 260, 262, 801

in pulmonary insufficiency, 792, 801, 820

in pulmonary stenosis, 327, 407

and ventricular septum intact, 55-72

in rheumatic disease, 509-514, 783, 802

systolic, 77-88, 319-320, 489, 509-514, 739, 801, 1036

amyl nitrate in diagnosis, 820, 1185

in left-to-right shunt, spontaneous disappearance, 1047-1053

Marfan's syndrome, 794

and pericardial rubs, 1022

and rupture, 449-450

tricuspid stenosis, 347-349, 353, 360-362

ventricular septal defect, 255

spontaneous closure, 1046-1054

**Muscle**, 750, 826

cholesterol synthesis, 555-557

contraction, 303

and sympathomimetic amines, 1125-1131

energy, 326

from fatty acids, 809

and hyaluronidase, 826

ruptured papillary, 449-450

and somatic carbohydrate, 826

strain from tachycardia, 1189

**Mustard**, ingestion in coronary disease, 1183

**Myocardium**

anionic metabolites, 750

atherosclerosis, 450-451, 689, 831

blood flow, 761

collateral, 21, 240-241

after coronary occlusion, 304-306

cancer metastases, 476-477

cells, 689, 831

species differences, 685

contractile force, 303, 304

and sympathomimetic amines, 1125-1131

electrolyte content, 714, 1026

endocardial fibroelastosis, 443

fatty acids uptake, 679, 809

function, 303, 742, 751, 1186

glutamic oxalacetic transaminase activity, 320, 332, 645, 769

hypertrophy, 21, 741

hypoplasia, 752

hypothermic, 714, 715

infarction. *See* Infarction

injury, and atrial repolarization, 643

ischemia, 240-241, 301, 304, 494, 801, 816

subarachnoid hemorrhage, 25, 26

mechanical atrumatic impulse, 830

metabolism, 559, 881

myocarditis, 741, 751

oxygen consumption, 560, 774

and cardiac dilatation, 778

and serotonin, 759

and pulmonary blood volume, 131

reserve after infarction, 298, 493

temperature changes and blood supply, 756

**Myxedema**, 659

and coronary atherosclerosis, 464-466

exercise test, 986

and hyperlipemia, 666, 813

induction for angina, 1153

**Myxoma**, atrial, 730-731, 759-760

## N

- Nanophnum**, in hypertension, 311
- Navajo Indians**, 670-671, 773
- Necrosis**, 801  
and arteritis, 383  
ischemic, 729, 935-937
- Negroes**, 467, 817  
anastomoses development, 22  
blood pressure, 289, 290, 768  
cryptogen cardiomyopathies, 494, 821
- Nervous system**  
and blood pressure, 181, 191, 212-214  
central, 309, 319-320  
and monoamine oxidase inhibitors, 1161  
analgesic effects, 1158  
and fat transport, 236  
vasomotor reflex impulses, 305, 306
- Neurofibromatosis**, and pheochromocytoma, 332
- Nialamide**, 657, 728, 809, 1158, 1162
- Nicotine**, 765  
in angina pectoris, 1151  
and cerebrovascular insufficiency, 1005  
and blood flow, 722, 798, 1033, 1112-1124  
and serum fatty acids, free, 682, 771
- Nicotinic acid**  
and cholesterol, 622, 675, 722, 726  
and essential hyperlipemia, 662  
and fibrinolysis, 489, 795  
smoking effects, 160-166, 645, 722, 798-799, 1112-1124
- Nitrofurantoin**, and prothrombin time, 613, 617
- Nitroglycerin**, 833, 989  
and abdominal muscles, 835  
in anginal distress, 493, 980, 1151  
and pulsus alternans, 823
- Norepinephrine**. *See* Epinephrine and norepinephrine
- Nutrition**. *See also* Diet  
cardiac, and coronary patency, 303

## O

- Obesity**  
and atherosclerosis, 454, 456  
and blood pressures, 723, 428-430  
in coronary heart disease, 645, 646  
diet and serum cholesterol, 456, 685, 799  
exercise test, 718, 992-993  
in railroad clerks and switchmen, 666, 822  
and smoking, 164, 1121
- Occlusion**  
auditory artery, 1007  
carotid artery, 1036  
in cerebrovascular insufficiency, 729, 1008-1010  
and coagulation activity, 817, 819  
conus artery, 302  
coronary. *See* Coronary arteries  
and dissecting aneurysm, 319-320  
after hypoxia for cardiac surgery, 725  
surgical treatment, 672, 820, 1009-1010  
thrombotic, 329, 494, 817
- Oophorectomy**, and coronary artery disease, 467, 495
- Ouabain**, 770, 1035
- Oxygen**  
anoxia, 301  
and heart function, 1173  
arteriovenous difference, 774, 869  
and Arfonad, 874  
in idiopathic cardiomyopathy, 751  
in nodal rhythm, 891  
and sympathomimetic amines, 824

- consumption, 222, 774  
and absent left pulmonary artery, 1108  
and coronary blood flow, 303, 789  
in emphysema, 221  
and energy expenditure, 778  
in heart failure, 778, 868  
in hypertension, and dibazole, 310-311  
in mitral stenosis, 4-13, 560  
and muscle contraction, 303, 799  
myocardial, 559-562, 759, 778, 824, 1171  
and nicotine, 798, 799, 1113-1122  
respiratory exchange ratios, 207, 208
- hypoxia, 168, 763, 981  
and fetal anomalies, 720  
and pulmonary circulation, 204-215  
and thoracic blood volume, 216-219
- inhalation, 313, 755  
and intermittent murmur, 228, 230  
and pulmonary vascular resistance, 939-942  
retinal constrictor response, 245  
intake test in mitral stenosis, 4-13  
monoamine oxidase inhibitor sparing action, 1158  
saturation, 11, 205-206, 213, 731, 819  
and carbon dioxide breathing, 222, 224  
in emphysema, 221  
in Fallot's tetralogy, 387-391, 395-401  
and tricuspid valve flap, 1084  
oximetry, direct reflection, 908-912  
in patent ductus, 227, 256  
in pulmonary stenosis, 387-391, 395-401  
in sickle-cell disease, 602-607  
ventricular defect, 114, 256, 1045, 1046  
tension, 11, 210, 212, 830  
alveolar, 155, 312  
after heparin, 902-907  
therapy, 321, 826  
hypotensive effect, 312

**Oxygenators**. *See* Extracorporeal circulation

## P

- Pacemaker**  
cells in S-A node center, 779  
in heart block, 531-532  
long-term, in Adams-Stokes disease, 341-345
- Para-aminohippurate**, 576, 750  
clearance, and guanethidine, 187-189
- Pediatrics**. *See also* Congenital anomalies  
aortic dissections, 315-316  
apical catheterization of left ventricle, 782  
atrial defect differential diagnosis, 956-975  
bacterial endocarditis, 726, 834  
carditis, 722  
cor triatriatum, 755  
electrocardiogram, in asthmatic, 90-95  
heart failure, 786  
heart size, in premature babies, 332  
hypertension, 333, 1031, 1126  
pulmonary, 818, 1041-1043  
Marfan's syndrome, 794  
and Master's test, 987  
newborn infants, 1187  
Apgar ratings, 760  
protein malnutrition, 458  
pulmonary venous return, 761, 769, 819  
rheumatic heart disease, 503-515, 722  
rheumatic fever, 811, 822  
rebound phenomenon, 747, 822  
shunts, electrode detection, 949-955  
surgery, 280-288, 725, 795, 796  
time table in anomalies, 1042-1043  
tricuspid stenosis and pulmonary atresia, 198-203  
Uhl's anomaly, 752



- ventricular hypertrophy, 802
- ventricular septal defects, 49, 254-263
  - heart block after repair, 526-534
  - spontaneous closure, 1044-1054
- Pendiomid**, in hypertension, 311
- Penicillins**, for streptococcal infections
  - pharyngitis, 724, 811, 819
  - prophylaxis, 716
- Pentaerythritol tetranitrate**, in angina, 493, 1151
- Pentolinium tartrate**, 428, 741
- Periarthritis nodosa**, and coronary blood flow, 301
- Pericardium**
  - effusion, 417, 1025
    - automatic photoscanning technic, 828
    - and cancer metastases, 476, 480-481
    - in familial cardiomyopathy, 721
    - regression with convalescence, 1024
    - ultra sound cardiography, 1021
  - and lupus erythematosus, 144, 148
  - pericarditis, 148, 980
    - and atrial repolarization, 640-643
    - constrictive, 865-867
    - and myocardial infarction, 449, 493
    - and rheumatic heart disease, 511-514
  - postpericardiotomy syndrome, 821
  - sac rupture, and dissecting aneurysm, 319
- Pharyngitis**, streptococcal, 811, 819
- Phenatin**, in hypertensive disease, 311
- Phenelzine**, monoamine oxidase inhibition, 1158, 1162
- Phenolsulfonphthalein**, excretion in renal disease, 924
- Phentolamine**, 679
  - in shock treatment, 830, 935-937
- Phenylephrine**, 835
  - and coronary flow, 762
  - and posthemorrhagic hemodilution, 754
- Phenylepinephrine**, vasopressor response, 824
- $\beta$ -Phenylethylhydrazine**, monoamine oxidase inhibition, 1158, 1162
- 1-Phenyl-2-hydrazinepropanine**, 728
- Phenylindanedione**, 609, 614
- Pheochromocytoma**, 333, 679-680
  - bilateral arterial pressures, 427
  - and neurofibromatosis, 332
  - organs of Zuckerkindl, 1026
  - plasma catecholamines, 522-523
  - screening test, 1030
  - vanillylmandelic acid excretion, 1027
- Phonocardiography**
  - and aorticocardiac fistulas, 715
  - atrial septal defect, 491
  - direct-writing, 746
  - epicardial, and fourth heart sound, 737
  - in Fallot's tetralogy, 73-89
    - and pulmonic stenosis, 390-397, 397-401
  - high-frequency, 782
  - in hyperthyroidism, 799
  - left atrial myxomas, 759
  - mammary souffle, 1069-1073
  - Marfan's syndrome, 794
  - in mitral insufficiency, 328
  - in newborn infants, 760
  - in patent ductus, 277, 255, 760, 801
  - pericardial friction rub, 1022
  - in pulmonic stenosis, 327-328, 390-391, 397-401, 407-410, 1020
    - and intact ventricular septum, 55-72
  - in rheumatic heart disease, 783, 792
  - in shunt, left-to-right, 1046-1053
  - tricuspid stenosis, 351, 353
  - in ventricular septal defect, 255
  - in Wolff-Parkinson-White syndrome, 784
- Plasma**
  - cephalin levels, 792
  - cholesterol. *See* Cholesterol
  - fatty acids, 326, 484, 667-668, 772
  - fibrinolysis, 722, 732
    - in atherosclerosis, 796
  - hemoglobin and hypothermia, 714
  - lipids, 326
    - and gonadal hormones, 681
    - and heparin, 745, 902-907
    - in hypercholesterolemia, 668
    - in hyperlipemia, 668
    - in myocardial infarction, 668, 792
  - lipoproteins, and triton, 665
  - and norepinephrine, 748, 829
  - renal flow, 868, 877
    - guanethidine effects, 187-189
  - sodium, and intraperitoneal glucose, 742
  - surface activity measurement, 326
  - vitamin E levels, 151
  - volume, 748, 755
    - in cirrhosis of liver, 156-157
    - in heart failure, 733
    - and pentolinium, 742
    - pressor response, 755, 829, 833
- Plasmin**. *See also* Fibrinolysin
  - in coronary heart disease, 619-626
  - in thromboembolism, 485
- Plethysmography**, 193
  - aortic volume pulse, 126-129
- Polybrene**, 1195
  - and gel formation, 678
- Posture**
  - alveoli perfusion and physiologic dead space, 229
  - and angina, 980, 1151-1152
  - and blood pressure, 753
    - bilateral differences, 427-428, 434
    - and bretylium, 182, 194-196, 735
    - and guanethidine therapy, 182, 185-189
    - and tilting, 742, 792
  - gravity effects on contrast media, 1144-1148
  - transseptal catheterization, 934
- Potassium**
  - and arteriovenous conduction, 749
  - and blood pressure, 311, 312, 1026
    - bilateral, 428
      - malignant hypertension, 733, 764
  - carcass content in heart failure, 715
  - depletion, glucose and potassium infusion, 774
  - for digitalis-induced nodal rhythms, 741
  - exchangeable, 733, 764
    - in mitochondria, and ouabain, 1035
  - excretion, in congestion, 876, 877
  - and left ventricular failure, 1152
  - myocardial, 1026
    - and hypothermia, 714
  - in serum, and arrhythmias, 774
- Prednisolone**, in shock treatment, 830
- Prednisone**, and blood pressure, 1026
- Pregnancy**
  - dissecting aneurysm, 316, 321
  - hypoxemia, and fetal anomalies, 720
  - mammary souffle, 1069-1073
  - and rheumatic fever, 1191-1192
  - toxemia, carbethoxysyringoyl methylreserpate, 1026
- Pressor amines**
  - and coronary blood flow, 762
  - and hemorrhagic hypotension, 761
  - and posthemorrhagic hemodilution, 754

**Pressures**

- cuff, and intermittent murmur, 229
- negative breathing, in hydropenia, 1028
- pericardial, and arterial pulse, 808
- pulse. *See* Pulse
- wedge, oxygen intake test, 5

**Procaine**, 1033, 1180**Progesterone**, and cholesterol levels, 688**Prosthesis**, 120-122

- aortic, 738, 781
- mitral, 781
- superior vena cava, 812
- tissue culture membrane covering, 825
- tricuspid valve, 779

**Protamine**, 1195

- and anionic metabolites, 750
- and gel formation, 678

**Protein**

- blood levels, 267, 268
- in hyperlipemia, 684
- C-reactive, and dexamethasone, 722
- intake, 454-458, 721
- and cholesterol metabolism, 549-550
- malnutrition, 458

**Prothrombin**, assay, 614, 740**Protoveratrine**, pressure responses, 428, 737

- A and B comparison, 1074-1081

**Pulmonary conditions**

- anomalous left coronary artery, 591-597
- arteriovenous fistulas, 791
- embolism, 743
  - and angina, 1151
- and heart failure, 743, 784, 1191
- hemodynamics, 1190
  - and exercise, 940-945
- hypertension. *See* Hypertension, pulmonary
- in hypoxia, 204-215
- left main artery absence, 1107-1111
- medial hypertrophy, 535-546
- necrotizing arteritis, 383
- oxygen saturation, 259-261
- pressure. *See* Blood pressure, pulmonary
- respiration. *See* Respiration
- shunts, 950-955, 1190-1191
- valvular
  - atrias, 72
  - post-stenotic dilatation, 64, 70
  - stenosis. *See* Stenosis, pulmonic
  - and tricuspid stenosis, 347-348, 353-355
- vasculature, 130-137
  - and cirrhosis of liver, 155-157
- vasculature
  - in congenital anomalies, 761, 769, 1192-1193
  - and heart rate, 131
  - in ventricular septal defect, 49
  - and patent ductus, 255-256, 258
  - resistance. *See* Blood vessels, resistance
- venous return, anomalous, 761, 769, 819, 950-955
- ventilation, 130-137, 330
  - and exercise, 207-208
  - in hypoxia, 205-206
  - after valvulotomy, 6-7

**Pulses**

- carotid, 319, 451
- neck venous, 356
- paradoxic, in tamponade, 807
- peripheral, and dissecting aneurysm, 319
- pressure, 1187
  - in aortic disease, 757, 758, 777, 823
  - in familial cardiomyopathy, 721

- and guanethidine, 185
- and intermittent murmur, 229
- jugular venous in tricuspid stenosis, 349-351, 356
- in rheumatic heart disease, 783

**rate**, 737, 739

- carbon dioxide tension, 831
- and exercise in atrioventricular block, 584-589
- and heart block, 530
- after protoveratrine, 737, 1075, 1080
- and smoking, 164, 1113-1122
- after valvulotomy, 7, 10
- venous, extra-cardiac influences, 1022
- wave, 801
  - and bilateral arterial pressure, 429
  - in obliterative arterial disease, 730

**Pulseless disease**, 739**Pulsus alternans**, and cardiac output, 823**Purkinje system**, condition, 763**Q****Quick test**, 613-614**Quinidine**, 1035

- arrhythmia prevention, 1152
- and atrial conduction velocity, 1033

**R****Radiation**. *See* Roentgenology**Rauwolfia**, 1030, 1152, 1153**Raynaud's disease**

- and amine activity, 806
- and pulmonary hypertension, 1055-1059

**Regurgitation, valvular**

- aortic, 167, 727, 741, 756, 820
  - and calcific disease, 368-375
  - and Graham Steell murmur, 780, 802-803
  - in rheumatic heart disease, 371-375, 803
- mitral, 167, 727, 770, 778, 792
  - rheumatic origin, 39-48
- norepinephrine effects, 328
- in tricuspid stenosis and atresia, 200-203

**Rehabilitation**, 736-797

- and comprehensive care, 1175-1177

**Reserpine**, 576-577, 739, 814

- antihypertensive effects, 181, 182, 428

**Respiration**

- in absent left pulmonary artery, 1107-1111
- and cardiac function, 1173
- and digitalis in septal defect, 1047
- and dyspnea, 830
- in emphysema, 221-222
- in hypercapnia, 220
- and membranes diffusion capacity, 312
- negative pressure in hydropenia, 1028
- in open heart surgery, 725, 731
- oxygen inhalation, and murmur, 230
- and portal cirrhosis of liver, 154-157
- and protoveratrine, 738
- reflexes at birth, 1187
- orthopnea, 878-879
  - in tricuspid stenosis, 347-349
- respiratory quotients, 560, 718
- after valvulotomy, 6-7

**Rheumatic fever**, 804

- and childbearing, 1191-1192
- and nodal tachycardia, 741
- rebound phenomenon, 747, 821
- and tricuspid stenosis, 347-348, 361

**Rheumatic heart disease, 810**

- and blood volume, 131
- calcific, 365-375, 776
- in Ceylon, 1191
- murmur, 509-514, 783, 802
- and myocardial infarction, 451
- recurrences, 506-507
- streptococcal infections, 804, 821, 1191
- streptococcal infection
  - chemoprophylaxis, 716, 789, 790
  - survival rates, 505-506, 736
  - and thick left ventricular walls, 815
- United Kingdom and United States joint report, 503-515
- valvular regurgitation, 39-48, 370, 802

**Rhythm**

- and aberrant ventricular conduction, 772
- and ajmaline, 1034
- after commissurotomy, 564
- in dissecting aortic aneurysm, 320
- gallop, 751-752
- nodal, 741, 1078
  - congenital familial, 887-895
  - with right bundle-branch block, 32
- parasytolic, 1150
- ventricular origin, 769
- sinus, 1034
  - after defibrillation, 140-142
  - after hypothermia, 724
  - in mitral disease, 561, 821
  - Stokes-Adams attacks, 797
  - and sympathomimetic amines, 1126
  - tricuspid stenosis, 356, 360

**Röntgenology**

- in aortic stenosis, 758, 834
- in arteriosclerosis, 19, 819, 1133-1136
- cardiac enlargement, 731, 865
  - in anemia, 413-414, 826
- carotid arteries, 818
- contrast media effects, 646
  - specific gravity, 1144-1148
- coronary artery, 19, 593
  - in Bantu, 16-17, 19
- in corrected transposition, 746
- in dissecting aortic aneurysm, 320-321
- Ebstein's anomaly, 72
- in endocardial fibroelastosis, 439, 441
- in Fallot's tetralogy, 1085-1089
- and iodides, 818-819
- left ventricular obstruction, 115, 119, 121
- mitral, 42-47, 327
- pericardial effusion, 145, 146, 1025
- pulmonary anomalies, 1192-1193
- transseptal catheterization, 929, 933
- tricuspid stenosis, 355, 362
  - in ventricular septal defect, 121, 123
  - and patent ductus arteriosus, 255
- vertebral arteries, 818

**Rubidium, radiolabeled, coronary flow rate, 2-3****Russian research**

- hypertensive disease therapy, 308-315
- visceral reflex in coronary insufficiency, 1179-1184

**S****Salicylates, 492, 613, 617****Scleroderma, and blood flow, 301****Serine, and plasma lipids, 668, 792****Serotonin, 742, 758, 825**

- and monoamine oxidase inhibitors, 1157, 1160-1161

**Serpentine, anti-arrhythmic activity, 1034****Serum**

- cholesterol. *See* Cholesterol
- fatty acids, and phagocytosis, 760
- lactic dehydrogenase levels, 332
- lipid clearance in hyperlipemia, 812-813
- See also* Lipids
- potassium, and arrhythmias, 774
- sickness, and atherosclerosis, 657
- transaminase, 830
  - in myocardial infarction, 320, 332, 645, 769

**Shock, 495, 735**

- endotoxin, 830
- levarterenol-phenolamine treatment, 935-937

**Shunt**

- atrium-to-femoral artery, and coarctation of aorta, 796
- detection, 752, 788, 961
  - electrode systems, 647, 766, 949-955
- interatrial, 67
- left-to-right, 491, 647, 745, 752, 788, 961
  - in left ventricular overload, 718, 775
  - and pulmonary hypertension, 49, 1041-1042
  - and ventricular defect, 113, 114, 124, 257
  - spontaneous closure, 1046-1054
- in patent ductus, 230, 257, 260, 262
- pulmonary arteriovenous, 1190
- right-to-left, 766, 818, 949-955
  - in Fallot's tetralogy, 390, 401
  - and tricuspid valve flap, 1084-1086
  - and pulmonary stenosis, 390, 401, 1020
- transposition of great vessels, 730, 745
- of venous blood, 155, 156

**Sickle-cell crisis, 602-607****Sitosterol and fat absorption patterns, 326****Sleep therapy, in hypertension, 308-309****Smoking. *See* Nicotine****Sodium**

- carcass content, in heart failure, 715
- chloride, 804
  - Stokes-Adams attacks, 797
- deficit, and diuretics, 833
- exchange, 1026
  - in hyperaldosteronism, 733
  - and thiazide diuretic, 755
- excretion, 764, 916-919
  - and digoxin, 870, 872
  - and venous congestion, 876, 877
- in hypertension, 764, 776, 1031
- mechanism of action, 775-776
- myocardial, 714, 1026
- retention, 865, 866
  - and cardiac output, 868, 871

**Starling's law, in circulatory congestion, 874-875****Stearic acid, and aortic cholesterol uptake, 675, 726****Stenosis**

- aortic, 131, 368, 374, 758, 775, 782, 800, 815
  - calcific, 372, 756, 776
  - catheterization, 167, 727, 758, 777, 834, 933
- fusion of commissures, 374, 375
- mitral, 327, 727, 739, 758, 765-766, 803, 1020
  - and circulatory congestion, 865-867
  - hemodynamics, 559-562, 569, 811
  - oxygen intake test, 4-13
  - and tricuspid, 347-348, 353-355
- patent foramen ovale, 200, 203
- pulmonic, 72-80, 715, 721, 749, 758, 768, 782, 788, 802, 834, 1020
  - and Fallot's tetralogy, 82-87, 385-403
  - atypical, 405-411
- infundibular, 111, 113, 115, 281, 397, 746

**Stenosis (Cont'd)**

- and right bundle-branch block, 285
- and ventricular septum, intact, 55-72
- and sympathomimetic amine effects, 1127, 1129
- and ventricular defect, 405-411, 490, 807, 898-899
- renal artery, and revascularization, 691
- tricuspid, 346-364, 865-867
- and pulmonary atresia, 198-203

**Steroids**

- adrenal. *See* Adrenal gland
- and circulatory congestion, 865-867
- and hypercholesteremia, 469
- modification test, and stress, 817
- therapy in heart block, 797

**Stokes-Adams.** *See* Adams-Stokes disease**Streptococci**, 826, 835

- prophylaxis, 716, 789, 819
- in rheumatic fever, 811, 821, 822
- serum antibody activity, 1191
- streptomycin-resistance, 813

**Streptokinase**, and thrombolysis, 622**Stress.** *See also* Emotions; Work and exercise

- and angina, 981-983, 1151
- and cardiovascular disease, 797
- renal responses in hypertension, 573-580
- and serum cholesterol, 250-253, 469

**Strokes**, and cerebrovascular insufficiency, 1002-1010**Stroke volume**

- in aortic insufficiency, 741
- in atrioventricular block, 584-589
- and carbon dioxide, 223, 831
- and digitalis, 832
- and exercise test, 7, 12, 996, 1188-1189
- in familial nodal rhythm, 892
- guanethidine effects, 187
- mechanical atraumatic impulse, 830
- and pressure pulse, 1187
- and pulmonary blood volume, 135, 136
- and pulsus alternans, 823
- after reserpine, 739
- smoking response, 164, 798
- and trimethidinium, 743
- after valvulotomy, 7, 10
- and ventricular pressure, 759, 1185-1186

**Sulfasoxazole**, and prothrombin time, 613, 617**Sulfobromophthalein test**, 713

- in hyperlipidemia, 232-238

**Sulfopolyglucin**, and serum lipoproteins, 664, 772**Surgery**

- and anticoagulants, 612-613
- aortic stenosis, 167, 375, 756, 1195
  - closed transaortic technic, 744
  - direct-vision valvulotomy, 796
- atrial approach to ventricular defects, 770
- in children, 725, 796
  - optimal age for, 1042
- coronary artery, 672, 767, 820
- Dammann Muller procedure, 787
- dissecting aneurysm of aorta, 321-322
- ductus arteriosus, 229
- for endocardial cushions, 754
- hypothermia. *See* Hypothermia
- intracranial, 1008, 1009
  - temporary vascular clips, 330
- microvascular, 767
- mitral insufficiency, 738
- occlusive disease, 672, 739
- open-heart, 168, 398, 725, 790, 821, 1195
  - Fallot's tetralogy, 715, 753, 836, 1195
  - lung management, 731

- in pulmonic stenosis, 398, 410

*See also* Extracorporeal circulation

- partial transposition of pulmonary veins, 769
- patent ductus, 810
- pheochromocytoma, 333
- for prolapsed valve, 816
- pulmonary conus deformity, 716
- resection, and aorto-iliac occlusion, 329
  - coarctation of aorta, 796
- right atrial myxoma, 731
- valvular regurgitation, 167, 792
- ventricular defect, 120-124, 770, 1195
  - and heart block, 530, 896-900

**Sympathectomy**, 743

- aorto-iliac occlusion, 329

**Sympathomimetic amines**, 1125-1131

- and exercise response, 211, 576

**Syncope**, 79

- in aortic stenosis, 758
- and nitrites during diuretic therapy, 833
- in tricuspid stenosis, 347-349

**T****Tachycardia**

- and angina, 1152, 1153
- atrial, 797
  - after hypothermia, 724
  - paroxysmal, 721, 1152, 1189
- and circulatory congestion, 865-867
- and heart failure, 787, 878-879
- and digitalis, 741, 832, 1152
- dissecting aneurysm, 318
- and exercise, 996, 997, 1064
- sodium response reflex, 775
- ventricular, 722, 774, 996, 1152

**Tamponade**, 821

- and dissecting aneurysm of aorta, 319
- and pulsus paradoxus, 808

**Temperature.** *See also* Hypothermia

- and anionic metabolite uptake, 750
- body in myocardial blood supply evaluation, 756
  - smoking effects, 164
- and flow in lipemia, 905-907
- and membrane potentials from S-A node, 779
- and ventricular function in heart block, 832

**Testosterone**, and atherosclerosis, 468, 681, 824**Tetraiodothyroformic acid**, 724, 736**Tetramethylammonium**, 1033**Thalassemia major**, 826**Thiazide derivatives**, hypotensive action, 728**Thiouracil**, and atherogenesis, 681**Thrombelastography**, 765

- in coagulation, 488

**Thromboangitis obliterans**, 163-164**Thromboembolic disease**, 1154

- aorto-iliac occlusion, 329
- and coagulation, 486-489, 732, 751
  - anticoagulant therapy, 612-613, 617
- coronary, 287, 816
- cor pulmonale after, 486
- and hypertension, 377, 381-383
- and neoplasm, 780
- venous ligation, 488-489

**Thrombophlebitis**, 780**Thromboplastin**, 654

- and anticoagulant treatment, 614
- formation, and particle size, 485

- Thrombosis**, 806  
 cerebral, 26, 1005, 1008-1009  
 coronary, 488, 619-626  
 endocardial, 168  
 esophageal varices, 382-383  
 fibrinous, of atrium, 1024  
 and metastatic cancer, 479, 480  
 and myocardial infarction, 646  
 in Negroes, 168, 646  
 postoperative, aorto-iliac occlusion, 329  
 in Raynaud's disease, 1057-1059  
 ultra sound detection, 1021  
 venous, 382-383, 487, 646
- Thyroid**, 464-466, 470  
 auscultatory findings, 799  
 function, and lipemia, 66, 813
- Thyroxine**  
 analog and effects, 660, 666  
 and serum cholesterol, 466, 724
- Tilting**. *See* Posture
- Tobacco**. *See* Nicotine
- Tocopherol**, 151-153, 487, 651, 786
- Transplants**. *See also* Grafts  
 atheromatous plaques, 670, 762
- Transposition of great vessels**, 730  
 and heart failure in infancy, 787  
 surgical correction, 745, 795, 806  
 and thrombo-obliterative disease, 739
- Tricuspid valve**  
 accessory flap effects, 409, 1083-1089  
 clefts, and septal defects, 898-899, 951-961, 971  
 Ebstein's anomaly, 72, 746  
 and endocarditis, 834, 1025  
 insufficiency, 168, 347, 353-355  
 and staphylococcal endocarditis, 1025  
 stenosis, 203, 346-364
- Triglycerides**. *See* Lipids
- Triiodothyronine**, 466, 666, 724
- Trimethidinium**, 743, 1025, 1027, 1028
- Triolein**, 326, 669, 678, 723, 740, 743
- Tripalmitol**, 468, 663, 677, 682, 736, 764
- Triphosphopyridine nucleotide**, 754
- Tris (2-dimethylaminoethyl) phosphate**, 663, 680
- Triton**, and atherosclerosis, 665, 685
- Truncus arteriosus**, persistent, 756

## U

- Uhl's anomaly**, 752-753
- Ultra sound cardiography**, 1021
- Uremia**, 319-320, 329
- Urine**  
 and Diodrast in renal disease, 916  
 ketosteroids after androsterone, 659  
 in pheochromocytoma  
 catecholamines, 333, 516-525  
 vanillylmandelic acid, 1027, 1030  
 flow, 830, 916  
 and venous congestion, 876-877  
 urobilinogen, in hyperlipidemia, 233
- Urokinase**, and thrombolysis, 622
- Utah plan**, 1167

## V

- Vagus**, stimulation, 36, 1186
- Valsalva maneuver**, 1191

- and bretylium tosylate, 191-192  
 cardiac output, and acceleration, 751
- Valsalva sinus**  
 aneurysms, 787, 788, 794, 898-899
- Valves**, prosthetic, 738, 779, 781, 825
- Valvular heart disease**. *See also* specific valves  
 transseptal catheterization, 931-932  
 and venous pulse curve, 1022
- Valvulotomy**. *See* Commissurotomy
- Vanillylmandelic acid**, excretion, 1027, 1030
- Vasopressin**, 163, 835
- Vectorcardiogram**, 742  
 atrial, 807, 967-975  
 bundle-branch-block pattern, 734  
 direct spatial, post mortem, 716  
 in mitral stenosis, 328  
 in myocardial infarction, 761, 765, 831  
 in pulmonary hypertension, 961  
 ventricular, 761, 802
- Veins**  
 and arterial clearance, of materials, 746-747  
 congestion, 864-885, 1035  
 constriction, 751, 775  
 distensibility, 751, 871-876  
 exercise effects on oxygen content, 303  
 jugular, 356, 1047  
 direct-reflection oximetry, 908-912  
 ligation, 488-489, 743  
 oxygen tension, in hypoxia, 210, 212  
 pulmonary, 731, 761  
 anomalous return, 761, 769, 819  
 electrode detection, 949-955  
 pulse, 1022  
 neck, in tricuspid stenosis, 350  
 thrombosis, and tocopherol, 487
- Vena cava**, 804  
 congestion effects, 876-877  
 inferior, 835  
 pheochromocytoma, 517, 522  
 oxygen saturation, 910-912  
 persistent left superior, 489, 761  
 pressure, and norepinephrine, 763  
 right pulmonary artery anastomosis, 755  
 tracheal homografts, 812
- Ventricles**, 774  
 aneurysm, 450  
 atrioventricular communications, 777, 792  
 block, 584-589, 775  
 cholesterol synthesis, 555-557  
 after commissurotomy, 565, 569-571  
 contraction patterns, 759, 761, 831  
 sympathomimetic amines, 824, 1126-1131  
 in Wolff-Parkinson-White syndrome, 784  
 function, and temperature, 832  
 hypertrophy, 43, 46, 716, 834, 961  
 and atrial septal defects, 957-975  
 combined left and right, 716, 730  
 left, 203, 564, 750, 800  
 apical catheterization, 782-783  
 endocardial fibroelastosis, 437-445  
 failure, 815, 875, 981, 1022, 1152  
 hypertrophy, 115, 281, 730, 758, 762, 834  
 diastolic overloading, 717, 718, 775  
 perfusion rates of parts, 1  
 in pulmonary stenosis, 57  
 obstruction, 110-125, 136, 729, 814, 957-962  
 parasystole, 769  
 pediatric surgery, age for, 1042-1043  
 premature contractions, 729, 815  
 response in atrial fibrillation, 764



**Ventricles (Cont'd)**

- right, 381, 753, 802, 878
  - dilatation, 381, 753
  - direct drainage from coronary, 791
  - in Fallot's tetralogy, 386-389, 395-396, 1083-1089
  - and atrial septal defects, 803, 958-975
  - origin of great vessels from, 113, 114, 117
  - oxygen saturation, 259-261
  - in pulmonic stenosis, 386-389, 395-396
  - in tricuspid stenosis, 200-203
- rupture, after myocardial infarction, 450
- septal defect, 110-125, 449, 730, 1047, 1195
  - anomalous tricuspid valve, 1087-1089
  - in common atrioventricular canal, 120, 792
  - in corrected transposition, 746, 806
  - heart block after repair, 526, 896-900
  - and heart failure, 787, 1047, 1052
  - and patent ductus arteriosus, 254-263
  - pediatric age for operation, 1042-1043
  - plication of prolapsed aortic cusp, 816
  - prosthetic closure, 112, 122
  - and pulmonary hypertension, 48-54
  - and pulmonic stenosis, 405-411, 1020
  - right atrial approach, 770
  - spontaneous closure, 760-761, 1044-1054
  - sympathomimetic amine effects, 1127-1128
- slowing, experimental, 781-782
- surface recordings in intact chest, 765
- third and fourth heart sounds, 737

**Ventriculotomy**

- electrocardiograms, 280-288, 734
- and septal defect closure, 816, 898
- traumatic mitral regurgitation, 328-329

**Versenate, and serum lipoproteins, 664****Vertebral arteries, 818**

- in cerebrovascular insufficiency, 332, 729, 1002-1010

**Vesalius, 13****Visceral receptors, in coronary insufficiency, 1180-1184****Vitamin**

- B<sub>12</sub>. See Cyanocobalamin
- E. See Tocopherol
- intake, and cholesterol, 151-153, 549-550, 651

**Von Hippel-Landau's disease, 332****W****Warfarin sodium, 947-948****Water, 688**

- carcass content, in heart failure, 715
- diuresis, and digoxin, 870, 822

- intracellular, and hypothermia, 714
- metabolism, in malignant hypertension, 764
- retention, 865-868, 871, 876

**West Africa, heart disease, 168****Wolff-Parkinson-White syndrome, 647, 715, 777, 784****Work Classification Clinics, 1175****Work and exercise**

- and angina, 980-983, 995-998
- atherosclerosis, 239-242, 267, 783
- in atrial myxoma, 730
- and atrioventricular dissociation, 583
- blood pressures, 208, 859, 983, 1113-1122
  - after atrial septal defect closure, 940-945
- cardiac output, 7, 9-10, 208-209, 213, 589, 783, 1188-1189
- and collateral circulation, 240-241
- and coronary arteries, 267, 753, 827, 1172
- constriction, 789
- effect of lack, 645
- legal aspects, 627-634
- occlusion, 305, 995
- diagnostic tests, 721, 986-1001, 1161
- atrial repolarization, 643
- Masters, 982, 987-999, 1067, 1170-1173
- oxygen intake, in mitral stenosis, 7-12
- precordial electrocardiogram, 714, 1060-1068
- and dyspnea, 829
- effect on survival, 735-736
- and glomerular filtration rate, 576
- and heart rate, 1120
- in hypertension, 573-580, 1188
- after myocardial infarction, 298, 1170
- and obesity, 718, 992-993
- occupation effects, 239-242, 292-294, 666, 817, 822, 1026, 1095-1103
- and plasma fatty acids levels, 326
- and position, 206, 208
- after procaine, 1180
- and pulmonary circulation, 204-215, 940-945
- and respiration, 207, 208, 718
- and serum cholesterol levels, 666, 683, 817, 1095-1103, 1100
- and smoking, 983, 1112-1124

**Workmen's Compensation Laws, 797**

- in coronary disease, 628-630, 1167-1168

**X****Xanthomatosis**

- and coronary heart disease, 297
- hypercholesterolemia, 326-327, 652-653
- plasma cephalin levels, 793

